



Vinyl Siding & Accessories



PERFORMANCE
COLLECTION

SPECIFICATION GUIDE
2025





A leading manufacturer of
exterior building products
in North America

#1 windows

#1 vinyl siding
& accessories


#1 metal roofing
& wall systems

#1 turnkey stone
solutions





PORTFOLIO OF BRANDS



The Total Designed Exterior

The Ply Gem portfolio of brands delivers the industry's most comprehensive portfolio of designed exterior solutions - all meant to work together seamlessly to elevate curb appeal and provide enduring beauty to homes.



TABLE OF CONTENTS

Cedar Dimensions™ Siding 6 – 9

Vinyl Siding Collection 10 – 14

 Dimensions® 10

 Progressions® 11

 Transformations® 13

 Board & Batten 14

Vinyl Soffit 15 – 20

 Hidden Vent 15

 Beaded 16

 Premium 17

 Standard 18

 Economy 19 – 20

Vinyl Siding & Soffit Accessories 22 – 30

Ply Gem Shutters & Accessories 31 – 56

 Mounting Blocks 31

 Surface Mounts 37

 Vents 38

 2-Piece Gable Vents 40

 Standard Shutters Raised Panel 45

 Standard Shutters Louvered 46

 Board & Batten Shutters 47

 Standard Shutter Accessories 49

 Window Mantels 52

 Door Surround Systems 55

TABLE OF CONTENTS

Ply Gem Performance Metals 58-120

 Trim Coil 64

 Soffit..... 68

 Fascia..... 76

 Accessories..... 80

Gutter Protection Systems.....85-115

 Leaf Relief®..... 108

 Leaf Logic® 115

Roofing Accessories116-120

Specifications & Conformance..... 121

PRODUCT/COLOR REFERENCE CHARTS



[PGSPC Vinyl Siding and
Accessories Color Matrix](#)



[Ply Gem Accessories \(Designer
Accents\) Color Matrix](#)



[Ply Gem Metal
\(Performance Metals\)
Color Reference Matrix](#)



[Training Videos](#)

D7" Shingle Siding

CEDAR7


Description

- Nominal Thickness: .100
- Length: Double 7"

Package

- 10 Pcs./Ctn.
- 1/2 Sqs./Ctn.
- 40 Lbs./Ctn.

Note: Recommended Starter Strip - CPSSHD or CDSS, 7/8" pocket minimum accessories recommended



7" Shingle

Color Availability

WHITE		100 Canyon
04	White	813 Dublin
LIGHT		090 Granite
NP	Pewter	814 Iron
M4	Sand	IF Montana Suede
IQ	Sunrise Yellow	290 Russet Red
A7	Wicker	144 Shadow
CLASSIC		390 Wedgewood
N4	Khaki	170 Willow
SHADED		
N8	Nantucket Gray	489 Shaded Cedar
510	Thistle	490 Shaded Gray
DEEP		
812	Brunswick	

Shingle Siding Outside Corner Post


CEDAR70CP

Description

- Nominal Thickness: .100
- Length: 28-1/8"

Package

- 10 Pcs./Ctn.
- 15.7 Lbs./Ctn.
- 23-1/3 Ln. Ft./Ctn.



Half-Round Cut Siding

DCHR65


Description

- Nominal Thickness: .080
- Exposure: 48"

Package

- 12 Pcs./Ctn.
- 1/2 Sqs./Ctn.
- 39 Lbs./Ctn.

Note: Recommended Starter Strip - CPSSHD or CDSS, 7/8" pocket minimum accessories recommended



WHITE

04 White

LIGHT

M4 Sand
A7 Wicker

CLASSIC

N4 Khaki
N8 Nantucket Gray



Cedar panels and accessories

Cedar panels - last panel in eave & gable



D9" Hand-Split Shake


CEDAR9

Description

- Nominal Thickness: .100
- Length: 58-5/8"
- Height: 20-3/8"

Package

- 7 Pcs./Ctn.
- 1/2 Sq./Ctn.



Hand-Split Shake Corner Post


CEDAR90CP

Description

- Nominal Thickness: .100
- Length: 38 1/2"
- Width: 3 1/2"

Package

- 10 Pcs./Ctn.
- 20 Lbs./Ctn.



Color Availability

WHITE

04 White

LIGHT

NP Pewter

M4 Sand

IQ Sunrise

Yellow

A7 Wicker

CLASSIC

N4 Khaki

N8 Nantucket

Gray

510 Thistle

DEEP

100 Canyon

090 Granite

IF Montana

Suede

290 Russet Red

144 Shadow

390 Wedgewood

170 Willow

SHADED

489 Shaded

Cedar

490 Shaded

Gray



[Installing cedar panels](#)

[How to replace a cedar panel](#)




Shingle Corner Post CEDAR5CP

Description

- Nominal Thickness: .090
- Length: 31"

Package

- 10 Pcs./Ctn.
- 19.5 Lbs./Ctn.



Color Availability

WHITE		DEEP	
04	White	100	Canyon
LIGHT		090	Granite
NP	Pewter	IF	Montana
M4	Sand		Suede
IQ	Sunrise	290	Russet Red
	Yellow	144	Shadow
A7	Wicker	390	Wedgewood
CLASSIC		170	Willow
N4	Khaki	SHADED	
N8	Nantucket	489	Shaded Cedar
	Gray	490	Shaded Gray
510	Thistle		


T5" Shingle CEDAR5

Description

- Nominal Thickness: .090
- Length: 69 1/2"
- Exposed Length: 63"

Package

- 7 Pcs./Ctn.
- 46 Sq./Ctn.
- 35 Lbs./Ctn.



Heavy-Duty Metal Starter Strip (Galvanized)

CPSSHD

Color Availability

No Color


Description

- Universal Cedar Panel
- Length: 10'

Package

- 25 Pcs./Ctn.
- 49 Lbs./Ctn.

Note: For use with Cedar Dimensions panels.



IMPROVED

FOR EASIER INSTALLATION

Cedar Dimensions Starter Strip (Aluminum)


CDSS

Description

- Length: 10'

Package

- 50 Pcs./Ctn.
- 32 Lbs./Ctn.



IMPROVED

FOR EASIER INSTALLATION

Starter strip



DIMENSIONS® | VINYL SIDING

Dimensions® Double 4"


DI40

Description

- Nominal Thickness: .044
- Length: 12' 6"

Package

- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 108 Lbs./Ctn.



Color Availability

WHITE	DEEP
04 White	145 Bayou
	812 Brunswick
LIGHT	100 Canyon
53 Almond	813 Dublin
511 Olive	090 Granite
NP Pewter	814 Iron
M4 Sand	IF Montana
A7 Wicker	Suede
	290 Russet Red
CLASSIC	144 Shadow
N4 Khaki	390 Wedgewood
N8 Nantucket	170 Willow
Gray	
N1 Slate Blue	CEDAR
510 Thistle	28 Chestnut
	NH Hickory
	61 Spruce Blue

Dimensions® Double 4-1/2" Dutch Lap


DID45

Description

- Nominal Thickness: .044
- Length: 12' 1"

Package

- 22 Pcs./Ctn.
- 2 Sqs./Ctn.
- 106 Lbs./Ctn.





Installing vinyl siding panels



Horizontal siding — last course in eave & gable

How to cut vinyl siding



PROGRESSIONS® | VINYL SIDING

Progressions® Double 4"


PG40

Description

- Nominal Thickness: .042
- Length: 12' 6"

Package

- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 95 Lbs./Ctn.



Color Availability

WHITE

04 White

LIGHT

53 Almond
N3 Ivory
511 Olive
NP Pewter
M4 Sand
NS Stone Gray
IQ Sunrise
Yellow
A7 Wicker

CLASSIC

N4 Khaki
N8 Nantucket
Gray
N1 Slate Blue
510 Thistle

DEEP

100 Canyon
813 Dublin
090 Granite
IF Montana
Suede
144 Shadow
390 Wedgewood
170 Willow

Progressions® Double 5"


PG50

Description

- Nominal Thickness: .042
- Length: 12'

Package

- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 89 Lbs./Ctn.



WHITE

04 White

LIGHT

53 Almond
N3 Ivory
511 Olive
NP Pewter
M4 Sand
NS Stone Gray
IQ Sunrise
Yellow
A7 Wicker

CLASSIC

N4 Khaki
N8 Nantucket
Gray
N1 Slate Blue
510 Thistle

Progressions® Double 4-1/2" Dutch Lap


PGD45

Description

- Nominal Thickness: .042
- Exposure: 12' 1"

Package

- 22 Pcs./Ctn.
- 2 Sqs./Ctn.
- 92 Lbs./Ctn.



WHITE

04 White

LIGHT

53 Almond
N3 Ivory
511 Olive
NP Pewter
M4 Sand
NS Stone Gray
IQ Sunrise
Yellow
A7 Wicker

CLASSIC

N4 Khaki
N8 Nantucket
Gray
N1 Slate Blue
510 Thistle

DEEP

100 Canyon
813 Dublin
090 Granite
IF Montana
Suede
144 Shadow
390 Wedgewood
170 Willow

Progressions® Double 5" Dutch Lap		PGD50	Color Availability
Description		WHITE	
- Nominal Thickness: .042 - Length: 12'		04 White	
Package		LIGHT	
20 Pcs./Ctn. 2 Sqs./Ctn. 85 Lbs./Ctn.		53 Almond	
		N3 Ivory	
		511 Olive	
		NP Pewter	
		M4 Sand	
		NS Stone Gray	
		IQ Sunrise	
		Yellow	
		A7 Wicker	
		CLASSIC	
		N4 Khaki	
		N8 Nantucket	
		Gray	
		N1 Slate Blue	
		510 Thistle	



Vinyl siding profile options

Transformations® Double 4"

PC40


Color Availability

Description

- Nominal Thickness: .040
- Length: 12' 6"

Package

- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 93 Lbs./Ctn.



WHITE

04 White

LIGHT

53 Almond
N3 Ivory
511 Olive
NP Pewter
M4 Sand
NS Stone Gray
A7 Wicker

CLASSIC

N4 Khaki
N1 Slate Blue

Transformations® Double 5"


PC50

Description

- Nominal Thickness: .040
- Length: 12'

Package

- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 88 Lbs./Ctn.



Transformations® Double 4-1/2" Dutch Lap


PCD45

Description

- Nominal Thickness: .040
- Exposure: 12' 1"

Package

- 22 Pcs./Ctn.
- 2 Sqs./Ctn.
- 90 Lbs./Ctn.



BOARD & BATTEN | VINYL SIDING

Board/Batten 5-1/2" Board with 1-1/2" Batten


PBB70W

Description

- Nominal Thickness: .048
- Length: 10'

Package

- 17 Pcs./Ctn.
- 1 Sq./Ctn.
- 60 Lbs./Ctn.



WHITE		DEEP	
04	White	145	Bayou
LIGHT		812	Brunswick
NP	Pewter	100	Canyon
M4	Sand	813	Dublin
A7	Wicker	090	Granite
CLASSIC		IF	Montana
N4	Khaki		Suede
N8	Nantucket	290	Russet Red
	Gray	144	Shadow
510	Thistle	390	Wedgewood
		170	Willow



Installing horizontal
beaded siding



Vertical siding options

Installing vertical siding



HIDDEN VENT SOFFIT

Triple 3-1/3" Solid Soffit/Wainscot

VST3N


Description

- Nominal Thickness: .044
- Finish: Matte
- Length: 12'

Package

- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 121 Lbs./Ctn.

Note: All colors except Musket Brown are warranted for sidewall use.



Color Availability

WHITE

04 White

LIGHT

53 Almond

N3 Ivory

NP Pewter

M4 Sand

NS Stone Gray

A7 Wicker

CLASSIC

N4 Khaki

N8 Nantucket Gray

DEEP

100 Canyon

090 Granite

IF Montana

Suede

290 Russet Red

144 Shadow

390 Wedgewood

DARK

59 Musket Brown

Triple 3-1/3" Hidden Vent Soffit

VST3V


Description

- Nominal Thickness: .044
- Finish: Matte
- Length: 12'

Package

- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 122 Lbs./Ctn.
- 9.19 Sq. In./Sq. Ft.

Note: Not warranted for sidewall use.



Installing vinyl soffits



BEADED VINYL SOFFIT

Beaded 8" Non-Ventilated Soffit/Wainscot

VSB223N

Color Availability

WHITE

04 White


Description

- Nominal Thickness: .040
- Finish: Matte
- Length: 12' 6"

Package

- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 116 Lbs./Ctn.

Note: Warranted for sidewall use.



Beaded 8" Ventilated Soffit

VSB223V


Description

- Nominal Thickness: .040
- Finish: Matte
- Length: 12' 6"

Package

- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 116 Lbs./Ctn.
- 1.54 Sq. In. N.F.A./ Sq. Ft.

Note: Not warranted for sidewall use.



Beaded J-Channel 3/8"


VJCB38

Description

- Nominal Thickness: .040
- Finish: Matte
- Exposure: 12' 6"

Package

- 24 Pcs./Ctn.
- 300 Ft./Ctn.
- 39 Lbs./Ctn.



**Installing porch ceilings/
beaded soffit**



Soffit options

PREMIUM VINYL SOFFIT

Triple 4" Premium Soffit Non-Ventilated Panel

VST4N


Description

- Nominal Thickness: .040
- Finish: Matte
- Length: 12'

Package

- 16 Pcs./Ctn.
- 1.92 Sqs./Ctn.
- 90 Lbs./Ctn.

*Black and Musket Brown colors not warranted for sidewall use.



Color Availability

WHITE

04 White

LIGHT

53 Almond

N3 Ivory

511 Olive

NP Pewter

M4 Sand

NS Stone Gray

A7 Wicker

CLASSIC

N4 Khaki

N8 Nantucket

Gray

N1 Slate Blue

510 Thistle

DARK

498 *Black

59 *Musket

Brown

Triple 4" Premium Soffit Full-Ventilated Panel

VST4FV


Description

- Nominal Thickness: .040
- Finish: Matte
- Length: 12'

Package

- 16 Pcs./Ctn.
- 1.92 Sqs./Ctn.
- 88 Lbs./Ctn.
- 5.87 Sq. In. N.F.A./ Sq. Ft.

Note: Not warranted for sidewall use.



Triple 4" Premium Soffit Center-Ventilated Panel

VST4CV


Description

- Nominal Thickness: .040
- Finish: Matte
- Exposure: 12'

Package

- 16 Pcs./Ctn.
- 1.92 Sqs./Ctn.
- 89 Lbs./Ctn.
- 1.96 Sq. In. N.F.A./ Sq. Ft.

Note: Not warranted for sidewall use.



WHITE

04 White

STANDARD VINYL SOFFIT

Double 5" Standard Soffit

SVSD5N


Description

- Nominal Thickness: .042
- Finish: Matte
- Length: 12'

Package

- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 94 Lbs./Ctn.

Note: Not warranted for
sidewall use.



Color Availability

WHITE

04 White

LIGHT

53 Almond

N3 Ivory

NP Pewter

M4 Sand

A7 Wicker

CLASSIC

N4 Khaki

Double 5" Vented Soffit

SVSD5FV


Description

- Nominal Thickness: .042
- Finish: Matte
- Length: 12'

Package

- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 91 Lbs./Ctn.
- 7.53 Sq. In. N.F.A./
Sq. Ft.

Note: Not warranted for
sidewall use.



ECONOMY VINYL SOFFIT

Economy Soffit Double 5" Non-Ventilated Panel

EVSD5N


Description

- Nominal Thickness: .040
- Finish: Woodgrain
- Length: 12'

Package

- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 90 Lbs./Ctn.

Note: Not warranted for sidewall use.



Color Availability

WHITE

04 White

LIGHT

53 Almond

N3 Ivory

M4 Sand

CLASSIC

N4 Khaki

Economy Soffit Double 5" Ventilated Panel

EVSD5V


Description

- Nominal Thickness: .040
- Finish: Woodgrain
- Length: 12'

Package

- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 87 Lbs./Ctn.
- 7.53 Sq. In. N.F.A./
Sq. Ft.

Note: Not warranted for sidewall use.



Economy Soffit Triple 4" Non-Ventilated Panel

EVS12N


Description

- Nominal Thickness: .036
- Finish: Matte
- Exposure: 12'

Package

- 16 Pcs./Ctn.
- 1.92 Sqs./Ctn.
- 80 Lbs./Ctn.

Note: Not warranted for sidewall use.



ECONOMY VINYL SOFFIT

Economy Soffit Triple 4" Ventilated Panel EVS12P


Description

- Nominal Thickness: .036
- Finish: Matte
- Length: 12'

Package

- 16 Pcs./Ctn.
- 1.92 Sqs./Ctn.
- 75 Lbs./Ctn.
- 5.87 Sq. In. N.F.A./Sq. Ft.

Note: Not warranted for sidewall use.



Color Availability

WHITE

04 White

LIGHT

53 Almond

N3 Ivory

M4 Sand

CLASSIC

N4 Khaki

Economy Soffit Triple 4" Center-Ventilated Panel

EVS12CP


Description

- Nominal Thickness: .036
- Finish: Matte
- Length: 12'

Package

- 16 Pcs./Ctn.
- 1.92 Sqs./Ctn.
- 78 Lbs./Ctn.
- 1.96 Sq. In. N.F.A./Sq. Ft.

Note: Not warranted for sidewall use.



WHITE

04 White

8" Vinyl Fascia

VFAS8

Color Availability

Description


- Length: 12' 6"

Package

- 24 Pcs./Ctn.
- 98 Lbs./Ctn.

WHITE

04 White



VINYL SIDING & SOFFIT ACCESSORIES

Vinyl Starter Strip

VS12


Color Availability

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 69 Lbs./Ctn.



No Color

Aluminum Starter Strip (Spring Style)


VSS10NS

Description

- Length: 12' 6"

Package

- 50 Pcs./Ctn.
- 33 Lbs./Ctn.



Aluminum Starter Strip


1WAP10

Description

- Length: 10'

Package

- 40 Pcs./Ctn.
- 27 Lbs./Ctn.



Note: Required Starter Strip for Colonial Beaded.

Galvanized Steel Starter Strip


ASVSS25

Description

- Length: 10'

Package

- 25 Pcs./Ctn.
- 40 Lbs./Ctn.



Galvanized Steel Starter Strip

ASVSS35


Description

- Length: 10'

Package

- 25 Pcs./Ctn.
- 49 Lbs./Ctn.

(Not to be installed with aluminum siding)



Starter strip



VINYL SIDING & SOFFIT ACCESSORIES

3" Universal Outside Corner Post — 3/4"


VOCP334

Description

- Length: 10'

Package

- 10 Pcs./Ctn.
- 39 Lbs./Ctn.



Color Availability

WHITE

04 White

LIGHT

53 Almond
N3 Ivory
511 Olive
NP Pewter
M4 Sand
NS Stone Gray
IQ Sunrise
Yellow
A7 Wicker

CLASSIC

N4 Khaki
N8 Nantucket
Gray
N1 Slate Blue
510 Thistle

4" Universal Outside Corner Post — 3/4"


VOCP34N

Description

- Length: 10'

Package

- 10 Pcs./Ctn.
- 50 Lbs./Ctn.



WHITE

04 White

LIGHT

53 Almond
N3 Ivory
511 Olive
NP Pewter
M4 Sand
NS Stone Gray
IQ Sunrise
Yellow
A7 Wicker

DEEP

145 Bayou
812 Brunswick
100 Canyon
813 Dublin
090 Granite
814 Iron
IF Montana
Suede
290 Russet Red
144 Shadow
390 Wedgewood
170 Willow

CLASSIC

N4 Khaki
N8 Nantucket
Gray
N1 Slate Blue
510 Thistle

CEDAR

28 Chestnut
NH Hickory
61 Spruce
Blue

Inside Corner Post — 3/4"


ICP34

Description

- Length: 10'

Package

- 10 Pcs./Ctn.
- 24.43 Lbs./Ctn.



**Flashing and installing
corner posts**

VINYL SIDING & SOFFIT ACCESSORIES

Economy Soffit J-Channel — 1/2"

VJC04


Color Availability

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 41 Lbs./Ctn.



WHITE

04 White

LIGHT

53 Almond
N3 Ivory
M4 Sand

CLASSIC

N4 Khaki

All Purpose J-Channel — 5/8"


VJC581

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 42 Lbs./Ctn.



WHITE

04 White

LIGHT

53 Almond
N3 Ivory
511 Olive
M4 Sand

CLASSIC

N4 Khaki

DEEP

145 Bayou
812 Brunswick
100 Canyon
813 Dublin
090 Granite
814 Iron
IF Montana
Suede

290 Russet Red
144 Shadow
390 Wedgewood
170 Willow

CEDAR

28 Chestnut
NH Hickory
61 Spruce Blue

DARK

498 Black
59 Musket
Brown

All Purpose J-Channel — 7/8"


VJC78

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 48 Lbs./Ctn.



WHITE

04 White

LIGHT

NP Pewter
M4 Sand
IQ Sunrise
Yellow
A7 Wicker

CLASSIC

N4 Khaki
N8 Nantucket
Gray
510 Thistle

DEEP

812 Brunswick
100 Canyon
813 Dublin
090 Granite
814 Iron

IF Montana
Suede

290 Russet Red
144 Shadow
390 Wedgewood
170 Willow

Flexible J-Channel — 1"


MVFJ0341

Description

- Length: 12' 6"
- Throat width: 13/16"

Package

- 20 Pcs./Ctn.
- 66 Lbs./Ctn.



WHITE

04 White

**J-Channel
options**



VINYL SIDING & SOFFIT ACCESSORIES

5" Fluted Corner Lineal


VFT

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 23 Lbs./Ctn.



Color Availability

WHITE

04 White

LIGHT

53 Almond

N3 Ivory

511 Olive

NP Pewter

M4 Sand

NS Stone Gray

IQ Sunrise

Yellow

A7 Wicker

DEEP

145 Bayou

812 Brunswick

100 Canyon

813 Dublin

090 Granite

814 Iron

IF Montana
Suede

290 Russet Red

144 Shadow

390 Wedgewood

170 Willow

CLASSIC

N4 Khaki

N8 Nantucket

Gray

N1 Slate Blue

510 Thistle

CEDAR

28 Chestnut

NH Hickory

61 Spruce Blue

Double Finish Trim


MVDF

Description

- Length: 12' 6"

Package

- 20 Pcs./Ctn.
- 31 Lbs./Ctn.



WHITE

04 White

LIGHT

53 Almond

N3 Ivory

511 Olive

NP Pewter

M4 Sand

NS Stone Gray

IQ Sunrise

Yellow

A7 Wicker

CLASSIC

N4 Khaki

N8 Nantucket

Gray

N1 Slate Blue

510 Thistle

F-Channel — 1/2"


VFCH04

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 46 Lbs./Ctn.



WHITE

04 White

VINYL SIDING & SOFFIT ACCESSORIES

F-Channel — 5/8"

VFC58


Color Availability

Description

- Length: 12' 6"

Package

- 24 Pcs./Ctn.
- 40 Lbs./Ctn.



WHITE

04 White

LIGHT

53 Almond

N3 Ivory

M4 Sand

A7 Wicker

CLASSIC

N4 Khaki

DARK

498 Black

59 Musket

Brown

T-Channel — 5/8"


MVTC05

Description

- Length: 12' 6"

Package

- 12 Pcs./Ctn.
- 33 Lbs./Ctn.



WHITE

04 White

CLASSIC

N4 Khaki

Traditional 5-1/2" Outside Corner Post with Foam Insert


TF0P55

Description

- Length: 20'

Package

- 4 Pcs./Ctn.
- 67 Lbs./Ctn.



WHITE

04 White

LIGHT

N3 Ivory

M4 Sand

A7 Wicker

CLASSIC

N4 Khaki

Fluted 5-1/2" Outside Corner Post with Foam Insert


FF0P55

Description

- Length: 20'

Package

- 4 Pcs./Ctn.
- 67 Lbs./Ctn.



WHITE

04 White

**Overlapping
and closing off
outside corners**



VINYL SIDING & SOFFIT ACCESSORIES

5" Fluted Corner Lineal

LINF5


Color Availability

Description

- Length: 20'

Package

- 10 Pcs./Ctn.
- 31 Lbs./Ctn.



WHITE

04 White

5" Lineal


LIN5

Description

- Length: 20'

Package

- 10 Pcs./Ctn.
- 31 Lbs./Ctn.



WHITE

04 White

LIGHT

N3 Ivory
M4 Sand

CLASSIC

N4 Khaki

Corner Starter & Insert


LINQRS

Description

- Length: 20'

Package

- 10 Pcs./Ctn.
- 27 Lbs./Ctn.



WHITE

04 White



Installing lineals as band
boards and gables

VINYL SIDING & SOFFIT ACCESSORIES

3-1/2" Lineal

LIN35


Color Availability

Description

- Length: 20'

Package

- 10 Pcs./Ctn.
- 26 Lbs./Ctn.



WHITE

04 White

LIGHT

N3 Ivory

M4 Sand

A7 Wicker

CLASSIC

N4 Khaki

Lineal Starter


WCNCSS

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 40 Lbs./Ctn.



WHITE

04 White

Recessed Lineal Starter


WCRSS

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 58 Lbs./Ctn.



VINYL SIDING & SOFFIT ACCESSORIES

2-1/2" Wide Window Casing Trim 3/4"

WCT06


Color Availability

Description

- Length: 12' 6"

Package

- 20 Pcs./Ctn.
- 55 Lbs./Ctn.



WHITE

04 White

LIGHT

N3 Ivory

M4 Sand

A7 Wicker

CLASSIC

N4 Khaki

Bay Corner 3/4"


BAY0P06

Description

- Length: 10'

Package

- 10 Pcs./Ctn.



3" Snap-In Crown


SCROWN126

Description

- Length: 12' 6"

Package

- 20 Pcs./Ctn.
- 55 Lbs./Ctn.



WHITE

04 White

VINYL SIDING & SOFFIT ACCESSORIES

Snap-In Crown Mount

SCMNT126


Color Availability

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 46 Lbs./Ctn.



WHITE

04 White

Snap-In Crown Mount with J-Channel


JSCMNT126

Description

- Length: 12' 6"

Package

- 40 Pcs./Ctn.
- 58 Lbs./Ctn.



MOUNTING BLOCKS

J-Block® Square Mounting Block

UNIBLOCK

Color Availability

Description

Mounting Surface:

- 5" x 6"

Trim Ring Dimensions:

- 7-1/4" x 8-1/8"

J-Channel I.D.:

- 1/2" adjusts to 1-1/4"


Knockouts:

- Round: 4" Diameter
- Rectangle: 2-3/8" x 3-3/4"

Uses: Light Fixtures, Electrical Receptacles, Water Faucets

Package

- 10 Pcs./Ctn.
- 6 Lbs./Ctn.



Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). See Ply Gem Accessories (Designer Accents) Color Matrix linked in Table of Contents.

J-Block® Square Mounting Block

Scroll 4" Knockout

UNIBLOCKSC

Description

Mounting Surface:

- 5" x 6"

Trim Ring Dimensions:

- 7-1/4" x 8-1/8"

J-Channel I.D.:

- 1/2" adjusts to 1-1/4"


Knockouts:

- Round: 4" Diameter
- Rectangle: 2-3/8" x 3-3/4"

Uses: Light Fixtures, Electrical Receptacles, Water Faucets.

Package

- 10 Pcs./Ctn.
- 6 Lbs./Ctn.



**Installing
mounting
blocks and
fixture vents**

MOUNTING BLOCKS

Mini J-Block® Mounting Block

MBLOCK

Description

Mounting Surface:

- 6" x 4-3/8"

Flange Dimensions:

- 6 7/8" x 5-1/4"

J-Channel I.D.:

- 3/4" adjusts to 1-1/4"


Knockouts:

- Round: 1-1/8" Diameter
- Rectangle: 2-3/8" x 3-3/4"

Uses: Doorbells, Electrical Outlets.

Package

- 10 Pcs./Ctn.
- 3 Lbs./Ctn.



Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

Split Recessed J-Block® Mounting Block

MBLOCKR

Description

Mounting Surface:

- 3-5/8" x 5-1/4"

Trim Ring Dimensions:

- 5-5/8" x 7-3/8"

J-Channel I.D.:

- 1/2" adjusts to 1-1/4"


Knockouts:

- Rectangle: 2-1/4" x 3-7/8"

Uses: Faucets, Electrical Outlets.

Package

- 10 Pcs./Ctn.
- 3.4 Lbs./Ctn.



UL® Electrical Block

EBLOCK

Description

Mounting Surface:

- 5" x 6"

Projection:

- 2-1/8"

Trim Ring Dimensions:

- 7-1/8" x 8-1/8"


J-Channel I.D.:

- 1/2" adjusts to 1-1/4"

* Includes UL approved black electrical box

Package

- 1 Pcs./Ctn.
- 1 Lbs./Ctn.



32

MOUNTING BLOCKS

Large J-Block® Mounting Block

JMBLOCK

Color Availability

Description

Mounting Surface:

- 6" x 10-1/8"

Trim Ring Dimensions:

- 8-3/8" x 12-1/2"

J-Channel I.D.:


- 1/2" adjusts to 1-1/4"

Uses: Light Fixtures, Mailbox, House Numbers

Can be used with insulated siding

Does not include electrical box

- Package
- 5 Pcs./Ctn.
 - 4 Lbs./Ctn.



Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

Large J-Block® Mounting Block

with Scroll Cut Square

JMBLOCKSC

Description

Mounting Surface:

- 6" x 10-1/8"

Trim Ring Dimensions:

- 8-3/8" x 12-1/2"

J-Channel I.D.:


- 1/2" adjusts to 1-1/4"

Uses: Light Fixtures, Mailbox, House Numbers

Can be used with insulated siding

Does not include electrical box


- Package
- 5 Pcs./Ctn.
 - 4 Lbs./Ctn.



MOUNTING BLOCKS

Large J-Block® Mounting Block
with UL Electrical Box*

JMEBLOCK


Description	Package
Mounting Surface: • 6" x 10-1/8" Trim Ring Dimensions: • 8-3/8" x 12-1/2" • Adjusts 1/2" - 1-1/4" *Includes UL approved black electrical box	• 4 Pcs./Ctn. • 4.5 Lbs./Ctn. 

Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.


Large J-Block® Mounting Block
with UL Electrical Box Scroll Cut*

JMEBLOCKSC

Description	Package
Mounting Surface: • 6" x 10-1/8" Trim Ring Dimensions: • 8-3/8" x 12-1/2" • Adjusts 1/2" - 1-1/4" *Includes UL approved black electrical box	• 4 Pcs./Ctn. • 4.5 Lbs./Ctn. 

Large J-Block® Mounting Block
with UL Electrical Box Offset*

JMEOBLOCK

Description	Package
Mounting Surface: • 6" x 10-1/8" Trim Ring Dimensions: • 8-3/8" x 12-1/2" • Adjusts 1/2" - 1-1/4" *Includes UL approved black electrical box	• 4 Pcs./Ctn. • 4.5 Lbs./Ctn. 

MOUNTING BLOCKS

Large J-Block® Mounting Block with UL Electrical Box Offset Scroll*

JME0BLOCKSC

Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

Description

Mounting Surface:

- 6" x 10-1/8"

Trim Ring Dimensions:

- 8-3/8" x 12-1/2"


J-Channel I.D.:

- 1/2" adjusts to 1-1/4"

*Includes UL approved black electrical box

Package

- 4 Pcs./Ctn.
- 4.5 Lbs./Ctn.



Large J-Block® Mounting Block

UNIBLOCKXL

Description

Mounting Surface:

- 9" x 16"

Trim Ring Dimensions:

- 11-3/4" x 18-3/4"

J-Channel I.D.:

- 1/2" adjusts to 1-1/4"


Knockouts:

- Round: 4" Diameter
- Rectangle: 2-3/8" x 3-3/4"

Uses: Light Fixtures, Mailbox, House Numbers

Package

- 4 Pcs./Ctn.
- 5 Lbs./Ctn.



Jumbo Meter Base J-Block®

METERLG

Description

Mounting Surface:

- 20" x 24"

Trim Ring Dimensions:

- 21-1/2" x 24-1/2"


J-Channel I.D.:

- 1/2" adjusts to 1-1/4"


Uses: Hose Racks, Electrical Meter Bases. Can be used with siding.

Package

- 1 Pc./Ctn.
- 4 Lbs./Ctn.



MOUNTING BLOCKS

Meter Base J-Block®		METER	Color Availability
Description	Package		
Mounting Surface: • 16-1/2" x 15-1/2" Flange Dimensions: • 18-1/2" x 16-3/4" J-Channel I.D.: • 1-1/4" Uses: Hose Racks, Electrical Meter Bases.	• 5 Pcs./Ctn. • 10 Lbs./Ctn.		Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

E-Z BLOCK® SURFACE MOUNTS

Square Surface Mount (Double 4" or Double 5")

EZBLK040

Description

Surface Dimensions:


- 6-3/4" x 6-3/4"
- Projections: 3/4"

Knockouts:

- Round: 1" Diameter
- Rectangle: 2-3/8" x 3-3/4"

Uses: Light fixtures, Electrical Receptacles, Water Faucets.

- 10 Pcs./Ctn.
- 4 Lbs./Ctn.



Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

Square Surface Mount (Dutch Lap)

EZBLK070

Description

Surface Dimensions:

- 6-3/4" x 6-3/4"
- Projections: 3/4"


Knockouts:

- Round: 1" Diameter
- Rectangle: 2-3/8" x 3-3/4"

Note: Octagonal style (EZBLK110) also available.

Uses: Light Fixtures, Electrical Outlet Receptacles, Water Faucets.

- 10 Pcs./Ctn.
- 4 Lbs./Ctn.



Octagon Surface Mount (Double 4" or Double 5")

EZBLK080

Description

Surface Dimensions:

- 6-3/4" x 6-3/4"
- Projections: 3/4"


Knockouts:

- Round: 1" Diameter
- Rectangle: 2-3/8" x 3-3/4"

Note: Square Style (EZBLK040) also available.

Uses: Light Fixtures, Electrical Outlet, Water Faucets.

- 10 Pcs./Ctn.
- 3.34 Lbs./Ctn.



UTILITY VENTS

4" Hooded Exhaust Vent System

DRYERHOOD

Description

Flange Dimensions:

- 6-5/8" x 6-5/8"

Hood Dimensions:

- 6-7/8" x 6-7/8"


• Neutral Base

J-Channel I.D.:

- 3/4" adjusts to 1-1/4"
- Tube Length: 10"
- Tube Diameter: 4"

Package

- 1 System/Ctn.
- 1 Lb./Ctn.



Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

6" Hooded Exhaust Vent System

DRYERHOOD6

Description

Flange Dimensions:

- 9" x 9"

Hood Dimensions:


- 8-1/2" x 8-1/2"

J-Channel I.D.:

- 3/4" adjusts to 1-1/4"
- Tube Length: 10"
- Tube Diameter: 6"

Package

- 1 System/Ctn.
- 1 Lb./Ctn.



Louvered Exhaust Vent

EXVENT*

Description

Flange Dimensions:

- 7-1/2" x 8-1/2"

Cap Dimensions:

- 7" x 7"

J-Channel I.D.:


- 3/4" adjusts to 1-1/4"

Net Free Area:

- 12.57 Sq. In.
- Tube Length: 10"
- Tube Diameter: 4"

Package

- 1 System/Ctn.
- 1 Lb./Ctn.



6" Louvered Exhaust Vent

EXVENT6*

Description

Flange Dimensions:

- 9-1/2" x 10-3/8"

Cap Dimensions:

- 9" x 9"

J-Channel I.D.:


- 3/4" adjusts to 1-1/4"

Net Free Area:

- 17.6 Sq. In.
- Tube Length: 10"
- Tube Diameter: 6"

Package

- 1 System/Ctn.
- 1.2 Lbs./Ctn.



*Not approved for dryer applications.

UTILITY VENTS

Intake/Exhaust Vent

INTVENT

Description

Flange Dimensions:

- 7-1/2" x 7-1/2"

Cap Dimensions:

- 8" x 8"

J-Channel I.D.:

- 1/2" adjusts to 1-1/4"


Net Free Area:

- 12.3 Sq. In.
- Tube Length: 10"
- Tube Diameter: 4"

Fire Hazard: NEVER use exhaust vent w/ screen for dryer ventilation. Flammable buildup on screen can cause fire. Always use a vent that is specifically designed for dryer appliances.

Package

- 1 Pc./Ctn.
- 1 Lb./Ctn.



Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

6" Intake/Exhaust Vent

INTVENT6

Description

Flange Dimensions:

- 9-1/2" x 9-1/2"

Cap Dimensions:

- 10" x 10"

J-Channel I.D.:

- 1/2" adjusts to 1-1/4"


Net Free Area:

- 14.75 Sq. In.
- Tube Length: 10"
- Tube Diameter: 6"

Fire Hazard: NEVER use exhaust vent w/ screen for dryer ventilation. Flammable buildup on screen can cause fire. Always use a vent that is specifically designed for dryer appliances.

Package

- 1 Pc./Ctn.
- 1.2 Lb./Ctn.



Foundation Vent

FNDVENT

Description

Flange Dimensions:

- 20" x 11-1/4"

Cap Dimensions:

- 19-7/16" x 10-11/16"

J-Channel I.D.:


- 3/4" adjust to 1-1/4"

Net Free Area:

- 48 Sq. In.

Package

- 10 Pcs./Ctn.
- 11.94 Lbs./Ctn.



GABLE VENTS

18" Round Gable Vent


RDGV18

Description

- Siding Receiver:
- 3/4" – 1-1/4"
in 1/8" increments
- Net Free Area:
- 48.36 Sq. In.

Package

- 1 Pc./Ctn.
- 2.3 Lbs./Ctn.



Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

22" Round Gable Vent


RDGV

Description

- Siding Receiver:
- 3/4" – 1-1/4"
in 1/8" increments
- Net Free Area:
- 48.37 Sq. In.

Package

- 4.1 Lbs./Ctn.
- 1 Pc./Ctn.



36" Round Gable Vent


RDGV36

Description

- Siding Receiver:
- 3/4" – 1-1/4"
in 1/8" increments
- Net Free Area:
- 277.1 Sq. In.

Package

- 1 Pc./Ctn.
- 8 Lbs./Ctn.



Installing gable vents

GABLE VENTS

18" Octagon Gable Vent

OCTGV18

Description

Siding Receiver:


- 3/4" – 1-1/4"
in 1/8" increments

Net Free Area:

- 49.72 Sq. In.

Package

- 1 Pc./Ctn.
- 2.4 Lbs./Ctn.



Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

22" Octagonal Gable Vent

OCTGV

Description

Siding Receiver:


- 3/4" - 1-1/4"
in 1/8" increments

Net Free Area:

- 49.5 Sq. In.

Package

- 1 Pc./Ctn.
- 5 Lbs./Ctn.



22" HalfRound Gable Vent

HRDGV

Description

Siding Receiver:


- 3/4" - 1-1/4"
in 1/8" increments

Net Free Area:

- 80.46 Sq. In.

Package


- 1 Pc./Ctn.
- 8 Lbs./Ctn.



GABLE VENTS

14" x 22" Round Top Gable Vent

RDTOPGV14


Description	Package
Siding Receiver: • 3/4" – 1-1/4" in 1/8" increments Net Free Area: • 53.17 Sq. In.	• 1 Pc./Ctn. • 2.7 Lbs./Ctn. 

Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

24" x 34" Round Top Gable Vent

RDTOPGV24

Description	Package
Siding Receiver: • 3/4" – 1-1/4" in 1/8" increments Net Free Area: • 191 Sq. In.	• 1 Pc./Ctn. • 6 Lbs./Ctn. 

GABLE VENTS

14" Square Gable Vent


SQGV1414

Description

- Siding Receiver:
- 3/4" – 1-1/4" in 1/8" increments
- Net Free Area:
- 33.59 Sq. In.

Package

- 1 Pc./Ctn.
- 2.3 Lbs./Ctn.



Color Availability

Available in more than 150 colors to match or coordinate with leading siding manufacturer's colors, including Paintable White (11). For a comprehensive color listing, see "Designer Accents Color Matrix" on page 57.

14" x 20" Rectangular Gable Vent


RECTGV

Description

- Siding Receiver:
- 3/4" – 1-1/4" in 1/8" increments
- Net Free Area:
- 23.29 Sq. In.

Package

- 1 Pc./Ctn.
- 3.83 Lbs./Ctn.



18" x 24" Rectangular Gable Vent


RECTGV1824

Description

- Siding Receiver:
- 3/4" – 1-1/4" in 1/8" increments
- Net Free Area:
- 92.88 Sq. In.

Package

- 1 Pc./Ctn.
- 5.68 Lbs./Ctn.



24" x 30" Rectangular Gable Vent


RECTGV2430

Description

- Siding Receiver:
- 3/4" – 1-1/4" in 1/8" increments
- Net Free Area:
- 181.2 Sq. In.

Package

- 1 Pc./Ctn.
- 9 Lbs./Ctn.



Notes:

SHUTTERS - STANDARD 12" & 15" RAISED PANEL

Standard Raised Panel Shutters

VINRP12

Description


- 12" Wide (Nominal)
- High-Density Copolymer
- Baked-on Acrylic Finish

Package

- 1 Pair/Ctn.

Product Availability

Product Code	Length	Lbs./Ctn.
VINRP1227	27"	6 Lbs./Ctn.
VINRP1231	31"	7 Lbs./Ctn.
VINRP1235	35"	8 Lbs./Ctn.
VINRP1239	39"	8 Lbs./Ctn.
VINRP1243	43"	9 Lbs./Ctn.
VINRP1247	47"	10 Lbs./Ctn.
VINRP1251	51"	11 Lbs./Ctn.
VINRP1255	55"	12 Lbs./Ctn.
VINRP1259	59"	12 Lbs./Ctn.
VINRP1263	63"	13 Lbs./Ctn.
VINRP1267	67"	13 Lbs./Ctn.
VINRP1271	71"	15 Lbs./Ctn.



Regular Style

Color Availability

- | | |
|-----|------------------|
| 11 | White |
| 33 | Black |
| 99 | Blackwatch Green |
| 41 | Blue |
| 59 | Brown |
| BLU | Coastal Blue |
| IJ | Dark Berry |
| 95 | Dark Navy |
| 56 | Dark Spruce |
| 55 | Green |
| 16 | Gray |
| 52 | Pebblestone Clay |
| PE | Peppercorn |
| 38 | Red |
| CRM | Sand Dollar |
| 93 | Spanish Moss |
| SL | Terra Brown |
| SK | Vineyard Red |
| 58 | Winestone |

SHERWIN-WILLIAMS®

- | | |
|-----|---------------------------|
| EGF | Evergreen Fog,
SW 9130 |
| GAF | Gale Force,
SW 7605 |
| URB | Urbane Bronze,
SW 7048 |

Standard Raised Panel Shutters

VINRP15

Description


- 15" Wide (Nominal)
- High-Density Copolymer
- Baked-on Acrylic Finish

Package


- 1 Pair/Ctn.

Product Availability

Product Code	Length	Lbs./Ctn.
VINRP1531	31"	6 Lbs./Ctn.
VINRP1535	35"	7 Lbs./Ctn.
VINRP1539	39"	8 Lbs./Ctn.
VINRP1543	43"	9 Lbs./Ctn.
VINRP1547	47"	9 Lbs./Ctn.
VINRP1551	51"	10 Lbs./Ctn.
VINRP1555	55"	10 Lbs./Ctn.
VINRP1559	59"	11 Lbs./Ctn.
VINRP1563	63"	12 Lbs./Ctn.
VINRP1567	67"	13 Lbs./Ctn.
VINRP1567C	67"	13 Lbs./Ctn.
VINRP1571	71"	13 Lbs./Ctn.
VINRP1575	75"	14 Lbs./Ctn.
VINRP1581	81"	15 Lbs./Ctn.



Regular Style



Cottage Style
(67" Length only)

Installing shutters



Notes: All shutter dimensions are nominal. All louvered and raised panel shutter cartons include 3" painted steel mounting screws and shutter plugs.

Sherwin-Williams® is a registered trademark of SWIMC LLC.

SHUTTERS - STANDARD 12" & 15" LOUVERED

Standard Open Louvered Shutters VINLV12

Description	Package
• 12" Wide (Nominal) • High-Density Copolymer • Baked-on Acrylic Finish	• 1 Pair/Ctn.

Product Availability

Product Code	Length	Lbs./Ctn.
VINLV1255	55"	12 Lbs./Ctn.
VINLV1259	59"	12 Lbs./Ctn.



Regular Style

Color Availability

11	White
33	Black
99	Blackwatch Green
41	Blue
59	Brown
BLU	Coastal Blue
IJ	Dark Berry
95	Dark Navy
56	Dark Spruce
55	Green
16	Gray
52	Pebblestone Clay
PE	Peppercorn
38	Red
CRM	Sand Dollar
93	Spanish Moss
SL	Terra Brown
SK	Vineyard Red
58	Winestone

SHERWIN-WILLIAMS®

EGF	Evergreen Fog, SW 9130
GAF	Gale Force, SW 7605
URB	Urbane Bronze, SW 7048

Standard Open Louvered Shutters VINLV15

Description	Package
• 15" Wide (Nominal) • High-Density Copolymer • Baked-on Acrylic Finish	• 1 Pair/Ctn.

Product Availability

Product Code	Length	Lbs./Ctn.
VINLV1525	25"	5 Lbs./Ctn.
VINLV1531	31"	6 Lbs./Ctn.
VINLV1535	35"	7 Lbs./Ctn.
VINLV1539	39"	7 Lbs./Ctn.
VINLV1543	43"	8 Lbs./Ctn.
VINLV1547	47"	8 Lbs./Ctn.
VINLV1551	51"	9 Lbs./Ctn.
VINLV1555	55"	11 Lbs./Ctn.
VINLV1559	59"	11 Lbs./Ctn.
VINLV1563	63"	11 Lbs./Ctn.
VINLV1567	67"	12 Lbs./Ctn.
VINLV1567C	67"	12 Lbs./Ctn.
VINLV1571	71"	12 Lbs./Ctn.
VINLV1575	75"	14 Lbs./Ctn.
VINLV1581	81"	14 Lbs./Ctn.



Regular Style



Cottage Style
(67" Length only)

Notes: All shutter dimensions are nominal. All louvered and raised panel shutter cartons include 3" painted steel mounting screws and shutter plugs.

Sherwin-Williams® is a registered trademark of SWIMC LLC.

SHUTTERS - STANDARD 11" & 12" BOARD+BATTEN

Board+Batten Standard 3-Board Shutters

VIN3C11 & VIN3012

Color Availability

11	White
33	Black
99	Blackwatch Green
41	Blue
59	Brown
BLU	Coastal Blue
IJ	Dark Berry
95	Dark Navy
56	Dark Spruce
55	Green
16	Gray
52	Pebblestone Clay
PE	Peppercorn
38	Red
CRM	Sand Dollar
93	Spanish Moss
SL	Terra Brown
SK	Vineyard Red
58	Winestone

SHERWIN-WILLIAMS®

EGF	Evergreen Fog, SW 9130
GAF	Gale Force, SW 7605
URB	Urbane Bronze, SW 7048

Description

- 11"-12" Wide (Nominal)
- High-Density Copolymer
- Baked-on Acrylic Finish

Package

- 1 Pair/Ctn.

Product Availability

CLOSED

Product Code	Length	Lbs./Ctn.
VIN3C1131	11"x31"	4.5 Lbs./Ctn.
VIN3C1135	11"x35"	5 Lbs./Ctn.
VIN3C1139	11"x39"	5 Lbs./Ctn.
VIN3C1143	11"x43"	5.5 Lbs./Ctn.
VIN3C1147	11"x47"	6 Lbs./Ctn.
VIN3C1151	11"x51"	6 Lbs./Ctn.
VIN3C1155	11"x55"	7 Lbs./Ctn.
VIN3C1159	11"x59"	7.5 Lbs./Ctn.
VIN3C1163	11"x63"	8 Lbs./Ctn.
VIN3C1167	11"x67"	8.5 Lbs./Ctn.
VIN3C1171	11"x71"	9 Lbs./Ctn.
VIN3C1175	11"x75"	9 Lbs./Ctn.
VIN3C1181	11"x81"	10 Lbs./Ctn.



Closed Style

OPEN

Product Code	Length	Lbs./Ctn.
VIN301231	12"x31"	4.5 Lbs./Ctn.
VIN301235	12"x35"	5 Lbs./Ctn.
VIN301239	12"x39"	5 Lbs./Ctn.
VIN301243	12"x43"	6 Lbs./Ctn.
VIN301247	12"x47"	6 Lbs./Ctn.
VIN301251	12"x51"	6.5 Lbs./Ctn.
VIN301255	12"x55"	7.5 Lbs./Ctn.
VIN301259	12"x59"	8 Lbs./Ctn.
VIN301263	12"x63"	8 Lbs./Ctn.
VIN301267	12"x67"	8.5 Lbs./Ctn.
VIN301271	12"x71"	9 Lbs./Ctn.
VIN301275	12"x75"	9.5 Lbs./Ctn.
VIN301281	12"x81"	10 Lbs./Ctn.



Open Style

Notes: All shutter dimensions are nominal. Board+Batten shutter cartons include steel mounting screws.

Lengths 51" and smaller have 2 horizontal boards.

Lengths 55" and longer have 3 horizontal boards.

Sherwin-Williams® is a registered trademark of SWIMC LLC.

Installing
shutters



SHUTTERS - STANDARD 15" & 16" BOARD+BATTEN

Standard Board+Batten 4-Board Shutters

VIN4C15 & VIN4016

Description

- 15"-16" Wide (Nominal)
- High-Density Copolymer
- Baked-on Acrylic Finish

Package

- 1 Pair/Ctn.

Product Availability

CLOSED

Product Code	Length	Lbs./Ctn.
VIN4C1531	15"x31"	6 Lbs./Ctn.
VIN4C1535	15"x35"	6.5 Lbs./Ctn.
VIN4C1539	15"x39"	7 Lbs./Ctn.
VIN4C1543	15"x43"	7.5 Lbs./Ctn.
VIN4C1547	15"x47"	8 Lbs./Ctn.
VIN4C1551	15"x51"	8.5 Lbs./Ctn.
VIN4C1555	15"x55"	10 Lbs./Ctn.
VIN4C1559	15"x59"	10 Lbs./Ctn.
VIN4C1563	15"x63"	10.5 Lbs./Ctn.
VIN4C1567	15"x67"	11 Lbs./Ctn.
VIN4C1571	15"x71"	11.5 Lbs./Ctn.
VIN4C1575	15"x75"	12 Lbs./Ctn.
VIN4C1581	15"x81"	13 Lbs./Ctn.



Closed Style

OPEN

Product Code	Length	Lbs./Ctn.
VIN401631	16"x31"	6 Lbs./Ctn.
VIN401635	16"x35"	6.5 Lbs./Ctn.
VIN401639	16"x39"	7 Lbs./Ctn.
VIN401643	16"x43"	7.5 Lbs./Ctn.
VIN401647	16"x47"	8 Lbs./Ctn.
VIN401651	16"x51"	8.5 Lbs./Ctn.
VIN401655	16"x55"	10 Lbs./Ctn.
VIN401659	16"x59"	10.5 Lbs./Ctn.
VIN401663	16"x63"	11 Lbs./Ctn.
VIN401667	16"x67"	11.5 Lbs./Ctn.
VIN401671	16"x71"	12 Lbs./Ctn.
VIN401675	16"x75"	12.5 Lbs./Ctn.
VIN401681	16"x81"	13 Lbs./Ctn.



Open Style

Color Availability

- 11 White
- 33 Black
- 99 Blackwatch Green
- 41 Blue
- 59 Brown
- BLU Coastal Blue
- IJ Dark Berry
- 95 Dark Navy
- 56 Dark Spruce
- 55 Green
- 16 Gray
- 52 Pebblestone Clay
- PE Peppercorn
- 38 Red
- CRM Sand Dollar
- 93 Spanish Moss
- SL Terra Brown
- SK Vineyard Red
- 58 Winestone

SHERWIN-WILLIAMS®

- EGF Evergreen Fog, SW 9130
- GAF Gale Force, SW 7605
- URB Urbane Bronze, SW 7048

Notes: All shutter dimensions are nominal. Board+Batten shutter cartons include steel mounting screws.

Lengths 51" and smaller have 2 horizontal boards.

Lengths 55" and longer have 3 horizontal boards.

The following lengths of VIN4C are molded panels - 47", 55", 59", 63", and 71".

Sherwin-Williams® is a registered trademark of SWIMC LLC.

15" Raised Panel Arch Top

ARCH15RP


Description

- 15" Wide (Nominal)
- High-Density Copolymer
- Baked-on Acrylic Finish

* For standard shutters only

Package

- 1 Pair/Ctn.
- 3 Lbs./Ctn.



Raised Panel Transom Top

TRANRP15


Description

- 15" Wide (Nominal)
- High-Density Copolymer
- Baked-on Acrylic Finish

* For standard shutters only

Package

- 1 Pair/Ctn.
- 3 Lbs./Ctn.



Notes: All shutter dimensions are nominal. All louvered and raised panel shutter cartons include 3" painted steel mounting screws and shutter plugs. Not for use with custom shutters.

15" Open Louvered Arch Top

ARCH15LV


Description

- 15" Wide (Nominal)
- High-Density Copolymer
- Baked-on Acrylic Finish

* For standard shutters only

Package

- 1 Pair/Ctn.
- 3 Lbs./Ctn.



Color Availability

- | | |
|-----|------------------|
| 11 | White |
| 33 | Black |
| 99 | Blackwatch Green |
| 41 | Blue |
| 59 | Brown |
| BLU | Coastal Blue |
| IJ | Dark Berry |
| 95 | Dark Navy |
| 56 | Dark Spruce |
| 55 | Green |
| 16 | Gray |
| 52 | Pebblestone Clay |
| PE | Peppercorn |
| 38 | Red |
| CRM | Sand Dollar |
| 93 | Spanish Moss |
| SL | Terra Brown |
| SK | Vineyard Red |
| 58 | Winestone |

SHERWIN-WILLIAMS®

- | | |
|-----|---------------------------|
| EGF | Evergreen Fog,
SW 9130 |
| GAF | Gale Force,
SW 7605 |
| URB | Urbane Bronze,
SW 7048 |


Installing
Shutters



SHUTTERS - ACCESSORIES

Fastener SHUTTRPLUG

Description	Package
• 1/4" x 2-5/8"	• 12 Pcs./Pkg.



Painted Steel Replacement Screws VINITT

Description	Package
• 3/16" x 3"	• 4 Pcs./Pkg.



Color Availability

11	White
33	Black
99	Blackwatch Green
41	Blue
59	Brown
BLU	Coastal Blue
IJ	Dark Berry
95	Dark Navy
56	Dark Spruce
55	Green
16	Gray
52	Pebblestone Clay
PE	Peppercorn
38	Red
CRM	Sand Dollar
93	Spanish Moss
SL	Terra Brown
SK	Vineyard Red
58	Winestone


SHERWIN-WILLIAMS®

EGF	Evergreen Fog, SW 9130
GAF	Gale Force, SW 7605
URB	Urbane Bronze, SW 7048

Shutter Clips and Anchors SHTCLP12

Description	Package	Mill Finish
	• 12 Pc. = 1 Each • 50 Each = 1 Ctn. * For standard shutters only.	

Hooks and Hinges SHOOK

Description	Package	33 Black
	Includes: • (4) Hinges • (2) S-Hooks (right and left) • (10) Screws	


WINDOW MANTELS

Window Mantel

PLWINMTL36

Description	Package
-------------	---------

- Height: 7-1/4"
 - Length: 36"
- 1 Pc./Pkg.
 - 6 Lbs./Ctn.



Color Availability


- 11
- White (paintable)

Window Mantel

PLWINMTL40

Description	Package
-------------	---------

- Height: 7-1/4"
 - Length: 40"
- 1 Pc./Pkg.
 - 7 Lbs./Ctn.




Window Mantel

PLWINMTL44

Description	Package
-------------	---------

- Height: 7-1/4"
 - Length: 44"
- 1 Pc./Pkg.
 - 7 Lbs./Ctn.



WINDOW MANTELS

Window Mantel with Dentil Trim

DTWINMTL36

Color Availability


11 White (paintable)

Description

- Height: 7-1/4"
- Length: 36"

Package

- 1 Pc./Pkg.
- 6 Lbs./Ctn.



Window Mantel with Dentil Trim


DTWINMTL40

Description

- Height: 7-1/4"
- Length: 40"

Package

- 1 Pc./Pkg.
- 6.54 Lbs./Ctn.



Window Mantel with Dentil Trim


DTWINMTL44

Description

- Height: 7-1/4"
- Length: 44"

Package

- 1 Pc./Pkg.
- 7 Lbs./Ctn.



Keystone


KEYSTONE

Description

- Height: 8-3/4"
- Length: 7 3/4"

Package

- 1 Pc./Ctn.
- 1.43 Lb./Ctn.



Endcap


ENDCAP

Description

- Includes adhesive

Package

- 1 Pc./Ctn.
- .82 Lb./Ctn.



MANTEL SYSTEMS

120" Mantel System

MANTEL120

Color Availability

11 White (paintable)

Description

Mantel:


- Face Height: 7-3/8"
- Length: 120"

Plain Cover Strip:

- Height: 1"
- Length: 120"
- Thickness: .139"

Package

- 1 Mantel System/Ctn.
- 15.25 Lbs./Ctn.
- Mantel System Includes:
- 1 – Mantel (120")
- 1 – Plain Cover Strip (120")
- 16 – (8) Anchors
- (8) Screws/Washers



Dentil Strip


DENTILSTP

Description

- Height: 1"
- Length: 60"

Package

- 2 Pcs./Pkg.
- 2.4 Lbs./Ctn.



Keystone for Mantel System


KEYSTN

Description

- Height: 7-1/2"
- Top Width: 7"
- Bottom Width: 4-3/4"

Package

- 1 Pc./Pkg.
- 1.26 Lbs./Ctn.
- Includes Mounting Hardware



Siding Endcaps for 120" Mantel System


SDGENDCAP

Description

- Height: 7-3/8"
- Width: 3-1/4"

Package

- 2 Pcs./Pkg.
- 2.98 Lbs./Ctn.
- Includes adhesive



Brick Endcaps for 120" Mantel System


BRKENDCAP

Description

- Height: 7-3/8"
- Width: 3-1/4"

Package

- 2 Pcs./Pkg.
- 3.06 Lbs./Ctn.
- Includes adhesive



Installing
10 foot
mantel



DOOR SURROUND SYSTEMS

Pediment Set

PEDIMENTST

Color Availability


11 White (paintable)

Description

- Height: 12-3/4"
- Length: 18-1/2"

Package

- 1 Pc./Pkg.
- 8 Lbs./Ctn.



Door Surround Mantel


MANTEL

Description

- Length: 58"

Package

- 1 Pc./Pkg.
- 8 Lbs./Ctn.



Door Mantel Overlay


MANTELOVLY

Description

- Length: 10-1/2"

Package

- 6 Pcs./Pkg.
- 6 Lbs./Ctn.




Pilaster Cap

TOPCAP

Description

Package

- 1 Pc./Ctn.
- 1 Lb./Ctn.




Pilaster Base

BASECAP

Description

Package

- 1 Pc./Pkg.
- 1 Lb./Ctn.



**Installing door
surrounds**

DOOR SURROUND SYSTEMS

Pilaster Set		PILASTER96	Color Availability
Description	Package		11 White (paintable)
• Height: 96" Pilaster Set Includes: • 2 Pilasters • 6 Mounting Clips • 2 Pilaster Caps • 2 Pilaster Bases • Width: 7-1/2"	• 1 Pr./Ctn. • 15.49 Lbs./Ctn.		

Pilaster Set		PILASTER144
Description	Package	
• Height: 144" Pilaster Set Includes: • 2 Pilasters • 6 Mounting Clips • 2 Pilaster Caps • 2 Pilaster Bases • Width: 7-1/2"	• 1 Pr./Ctn. • 19.71 Lbs./Ctn.	

Brand	Code	Color
PLY GEM SIDING PERFORMANCE COLLECTION	53	Almond
PLY GEM SIDING PERFORMANCE COLLECTION	IG	Alpine Green
PLY GEM SIDING PERFORMANCE COLLECTION	39	Autumn Tan
PLY GEM SIDING PERFORMANCE COLLECTION	498	Black
PLY GEM SIDING PERFORMANCE COLLECTION	30	Beige
PLY GEM SIDING PERFORMANCE COLLECTION	100	Canyon
PLY GEM SIDING PERFORMANCE COLLECTION	E9	Chestnut*
PLY GEM SIDING PERFORMANCE COLLECTION	210	French Silk
PLY GEM SIDING PERFORMANCE COLLECTION	090	Granite
PLY GEM SIDING PERFORMANCE COLLECTION	E7	Hickory*
PLY GEM SIDING PERFORMANCE COLLECTION	31	Ivory
PLY GEM SIDING PERFORMANCE COLLECTION	E4	Juniper*
PLY GEM SIDING PERFORMANCE COLLECTION	52	Khaki / Weathered Ash*
PLY GEM SIDING PERFORMANCE COLLECTION	18	Mist
PLY GEM SIDING PERFORMANCE COLLECTION	N5	Musket Brown
PLY GEM SIDING PERFORMANCE COLLECTION	35	Nantucket Gray
PLY GEM SIDING PERFORMANCE COLLECTION	511	Olive
PLY GEM SIDING PERFORMANCE COLLECTION	IB	Patriot Blue
PLY GEM SIDING PERFORMANCE COLLECTION	36	Pewter
PLY GEM SIDING PERFORMANCE COLLECTION	290	Russet Red
PLY GEM SIDING PERFORMANCE COLLECTION	22	Sand
PLY GEM SIDING PERFORMANCE COLLECTION	144	Shadow
PLY GEM SIDING PERFORMANCE COLLECTION	17	Slate Blue
PLY GEM SIDING PERFORMANCE COLLECTION	E6	Spruce Blue*
PLY GEM SIDING PERFORMANCE COLLECTION	02	Stone Gray
PLY GEM SIDING PERFORMANCE COLLECTION	IF	Suede
PLY GEM SIDING PERFORMANCE COLLECTION	10	Sunrise Yellow
PLY GEM SIDING PERFORMANCE COLLECTION	510	Thistle
PLY GEM SIDING PERFORMANCE COLLECTION	390	Wedgewood
PLY GEM SIDING PERFORMANCE COLLECTION	AW	White
PLY GEM SIDING PERFORMANCE COLLECTION	A7	Wicker
PLY GEM SIDING PERFORMANCE COLLECTION	170	Willow



**Scan the QR code
to view competitive
comparison color matrix.**

* Recommended solid color match for a variegated color.

TRIM COIL

Product Code/Description	Color Code	Color on Front	Color on Back
TS24TX PVC Texture Coated 24" Trim Sheet • (Coated one side) • Finish: PVC Textured • Nominal Thickness: .019 • Length: 50' • 1 Roll/Ctn. • 27.5 Lbs./Ctn. Note: The PVC texture finish has less woodgrain definition than striation.	WX	White	White
TS24150 Smooth 24" Trim Sheet • (Coated two sides) • Nominal Thickness: .019 • Length: 150' • 1 Roll/Ctn. • 74 Lbs./Ctn.	04	White	White
TS24024 Smooth 24" Ultra TS® • (Coated two sides) • Nominal Thickness: .024 • Length: 50' • 1 Roll/Ctn. • 33.2 Lbs./Ctn.	04 33 53 44 59 52 62 A7	White Black Almond Linen Musket Brown Pebblestone Clay Royal Brown Wicker	White White White White White White White White

TS24024T PVC Coated 24" Ultra TS® • (Coated one side) • Finish: PVC Striated • Nominal Thickness: .024 • Length: 50' • 1 Roll/Ctn. • 35.5 Lbs./Ctn.	04 59	White Musket Brown	
---	----------	-----------------------	--

TRIM SHEET

Product Code/Description	Color Code	Color on Front	Color on Back
TS14	04	White	
Smooth	59	Musket Brown	
14" Trim Sheet			
• (Coated two sides) • Nominal Thickness: .019 • Length: 50' • 1 Roll/Ctn. • 15 Lbs./Ctn.			

TRIM COIL

Product Code/Description	Color Code	Color on Front	Color on Back
S24	04	White	White
Smooth	33	Black	White
24" Trim Coil	BM	*Black	Musket Brown
• (Coated two sides)	BR	*Black	Royal Brown
• Finish: Alumalure 2000®	53	Almond	White
• Nominal Thickness: .019	224	*Antique Ivory	White
• Length: 50'	251	Autumn Harvest	White
• 1 Roll/Ctn.	145	*Bayou	White
• 24.6 Lbs./Ctn.	YR	Brandy	White
	147	Brandy Wood	White
	09	*Bronze	White
	812	Brunswick	White
	31	Cameo	White
	80	*Charcoal Grey	White
	802	Cinnabar	White
	803	Civic Brownstone	White
	30	Classic Cream	White
	210	Corn Silk	White
	JS	Dark Bronze	White
	090	Deep Granite	White
	22	Desert Sand	White
	813	Dublin	White
	390	English Wedgewood	White
	17	Everest	White
	70	Evergreen	White
	262	Grecian Green	White
	35	Harbor Grey	White
	814	Iron	White
	AO	Jefferson Tan	White
	IC	Lakeshore Fern	White
	44	Linen	White
	JN	London Brown	White
	148	Mahogany	White
	144	Misty Shadow	White
	IF	Montana Suede	White
	59	Musket Brown	White
	156	Natural Slate	White
	146	Newport Bay	White
	52	Pebblestone Clay	White
	IB	Portsmouth Blue	White
	170	Quiet Willow	White
	149	Red Brick	White
	62	Royal Brown	White
	100	Rugged Canyon	White
	290	Russet Red	White
	18	Sage	White
	39	Sandtone	White
	510	Scottish Thistle	White
	02	Silver Grey	White
	34	Terra Bronze	White
	275	Timberstone	White
	511	Tuscan Olive	White
	228	Tuxedo Gray	White
	36	Victorian Grey	White
	252	Vineyard Grove	White
	A7	Wicker	White

S24T

PVC Coated

24" Trim Coil

- (Coated one side)
- Finish: PVC Striated
- Nominal Thickness: .019
- Length: 50'
- 1 Roll/Ctn.
- 26.2 Lbs./Ctn.

* Colors indicated with an asterisk are not available in PVC coated.

Other colors may be available by Special Order. Please review the Ply Gem Performance Metals Color Offering Matrix and contact your Territory Sales Manager.

TRIM COIL

Product Code/Description	Color Code	Color on Front	Color on Back
S24150	04	White	
Smooth	274	Window White	
24" Trim Coil			
• Finish: Smooth			
• Nominal Thickness: .019			
• Length: 150'			
• 1 Roll/Ctn.			
• 74.3 Lbs./Ctn.			
S24T150			
PVC Coated			
24" Trim Coil			
• Nominal Thickness: .019			
• Length: 150'			
• 1 Roll/Ctn.			
• 74.3 Lbs./Ctn.			
S24LM	04	White	
Low Mar	33	Black	
24" Trim Coil	53	Almond	
• Finish: Textured Polymer	59	Musket Brown	
• Nominal Thickness: .019	52	Pebblestone Clay	
• Length: 50'	A7	Wicker	
• 1 Roll/Ctn.	62	Royal Brown	
• 24.5 Lbs./Ctn.	JS	Dark Bronze	
	Window World		
	274	Window White	
	276	Window Almond	

Other colors may be available by Special Order. Please review the Ply Gem Performance Metals Color Offering Matrix and contact your Territory Sales Manager.

TRIM COIL

Product Code/Description	Color Code	Color on Front	Color on Back
S24W	04	White	
Woodgrain Emboss	33	Black	
24" Trim Coil			
• Finish: Smooth • Nominal Thickness: .019 • Length: 50' • 1 Roll/Ctn. • 24.5 Lbs./Ctn.			
S14	04	White	White
Smooth	BM	Black	Musket Brown
14" Trim Coil	BR	Black	Royal Brown
• (Coated two sides) • Finish: Smooth • Nominal Thickness: .019 • Length: 50' • 1 Roll/Ctn. • 14.4 Lbs./Ctn.			

TRIM COIL - CONTRACTOR'S CHOICE

Product Code/Description	Color Code	Color on Front	Color on Back
C24	04	White	White
Smooth	BM	Black	Musket Brown
24" Trim Coil	BR	Black	Royal Brown
• (Coated two sides)	33	Black	White
• Finish: Smooth Polymer	59	Musket Brown	White
• Nominal Thickness: .018	52	Pebblestone Clay	White
• Length: 50'	276	Window Almond	Window White
• 1 Roll/Ctn.			
• 23.6 Lbs./Ctn.			

C24T	04	White
PVC Coated		
24" Trim Coil		
• (Coated one side)		
• Finish: PVC Striated		
• Nominal Thickness: .018		
• Length: 50'		
• 1 Roll/Ctn.		
• 24 Lbs./Ctn.		


ENVOY® ALUMINUM SIDING

Product Code/Description

4NCR024

Envoy Rustic Double 4" (.024)

- Finish: Alupalure 2000®
- Nominal Thickness: .024
- Length: 12' 6"
- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 90 Lbs./Ctn.




Color Availability

White
Almond
Charcoal Grey
Desert Sand
Everest
Pebblestone Clay
Rugged Canyon
Sandtone
Victorian Grey
Wicker

5N090024

Envoy Horizon Collection Double 5"


- Finish: Alupalure 2000®
- Nominal Thickness: .024
- Length: 12'
- 20 Pcs./Ctn.
- 2 Sqs./Ctn.
- 86 Lbs./Ctn.



8NA

Envoy 8" Smooth

- Finish: Alupalure 2000®
- Nominal Thickness: .024
- Length: 12' 6"
- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 84 Lbs./Ctn.



White


ENDURANCE® ALUMINUM SIDING

Product Code/Description

4NCR

Endurance Rustic Double 4"

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- Length: 12' 6"
- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 71 Lbs./Ctn.




Color Availability

White
Almond
Charcoal Grey
Desert Sand
Everest
Pebblestone Clay
Rugged Canyon
Sandtone
Victorian Grey
Wicker

8NA019

Endurance 8" Smooth

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- Length: 12' 6"
- 24 Pcs./Ctn.
- 2 Sqs./Ctn.
- 72 Lbs./Ctn.



White

ALUMINUM SIDING ACCESSORIES

Product Code/Description


Color Availability

1WAP10

Starter Strip

- Length: 10' 0"
- 40 Pcs./Ctn.
- 27 Lbs./Ctn.


* Required starter strip for Charleston Beaded and Ovation Beaded.



VSS10NS

Starter Strip Spring Style


- Length: 10' 0"
- 50 Pcs./Ctn.
- 33 Lbs./Ctn.



VSSSTD

STANDARD ALUMINUM STARTER STRIP


- 10' 0" Length
- 2.1875" wide
- 50 Pcs./Ctn.
- 27.4 Lbs./Ctn.



6N225NCR

Rustic Outside Aluminum Corner Post

- Finish: Alumalure 2000®
- Nominal Thickness: .024
- Length: 10'
- 10 Pcs./Ctn.
- 31.7 Lbs./Ctn.




White
Almond
Charcoal Grey
Desert Sand
Everest
Pebblestone Clay
Rugged Canyon
Sandtone
Victorian Grey
Wicker

6N225



Smooth Outside Aluminum Corner Post

- Finish: Alumalure 2000®
- Nominal Thickness: .024
- Length: 10'
- 10 Pcs./Ctn.
- 31.7 Lbs./Ctn.



White

ALUMINUM SIDING ACCESSORIES

Product Code/Description		Color Availability
2JN2A25 Window Trim "J" Style • Finish: AlumaLure 2000® • Nominal Thickness: .019 • Length: 12' 0" • 25 Pcs./Ctn. • 18.8 Lbs./Ctn.		White Almond Charcoal Grey Desert Sand Everest Pebblestone Clay Sandtone Victorian Grey
3F Window Head Flashing • Finish: AlumaLure 2000® • Nominal Thickness: .019 • Length: 12' 6" • 20 Pcs./Ctn. • 16.8 Lbs./Ctn.		White Black Classic Cream Dark Bronze Evergreen Musket Brown Pebblestone Clay Royal Brown Rugged Canyon Terra Bronze Wicker


ENVOY® ALUMINUM SOFFIT

Product Code/Description

SVG12N20

Envoy Double 6" Solid V-Groove Soffit

- Finish: Alupalure 2000®
- Nominal Thickness: .019
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq. Ft./Ctn.
- 75 Lbs./Ctn.




Color Availability

White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Harbor Grey
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

SVG12V20

Envoy Double 6" Perforated V-Groove Soffit


- Finish: Alupalure 2000®
- Nominal Thickness: .019
- 15 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq. Ft./Ctn.
- 67 Lbs./Ctn.



SVG6N

Envoy 6" Solid V-Groove Soffit


- Finish: Alupalure 2000®
- Nominal Thickness: .019
- Length: 12'
- Exposure: 6"
- 20 Pcs./Ctn.
- 120 Sq. Ft./Ctn.
- 43 Lbs./Ctn.




White
Almond
Charcoal Grey
Evergreen
Musket Brown
Pebblestone Clay
Sandtone
Terra Bronze

ENVOY® ALUMINUM SOFFIT


Product Code/Description	Color Availability
SVG6V Envoy 6" Perforated V-Groove Soffit • Finish: Alupalure 2000® • Nominal Thickness: .019 • 7.5 Sq. In. N.F.A./Ft. • Length: 12' • Exposure: 6" • 20 Pcs./Ctn. • 120 Sq. Ft./Ctn. • 39 Lbs./Ctn.	White



SAS12219 Envoy Double 6" Solid U-Groove Soffit • Finish: Alupalure 2000® • Nominal Thickness: .019 • Length: 12' • Exposure: 12" • 20 Pcs./Ctn. • 240 Sq. Ft./Ctn. • 76.1 Lbs./Ctn.	White Musket Brown
--	----------------------------------



LFAS12219 Envoy Double 6" Lanced U-Groove Soffit • Finish: Alupalure 2000® • Nominal Thickness: .019 • 10.6 Sq. In. N.F.A./Ft. • Length: 12' • Exposure: 12" • 20 Pcs./Ctn. • 240 Sq. Ft./Ctn. • 76.1 Lbs./Ctn.	
---	--



ENVOY® ALUMINUM SOFFIT


Product Code/Description

SAS12319

Envoy

Triple 4" Solid U-Groove Soffit

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq. Ft./Ctn.
- 77.7 Lbs./Ctn.



Color Availability


White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Everest
Evergreen
Harbor Grey
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

LCAS12319

Envoy

Triple 4" Center Lanced U-Groove Soffit

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- 4.4 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq. Ft./Ctn.
- 77.7 Lbs./Ctn.




LFAS12319



Envoy

Triple 4" Full Lanced U-Groove Soffit

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- 13.2 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq. Ft./Ctn.
- 77.7 Lbs./Ctn.



ENVOY® ALUMINUM SOFFIT

Product Code/Description		Color Availability
SAS16419A Envoy Quad 4" Solid U-Groove Soffit • Finish: Alupalure 2000® • Nominal Thickness: .019 • Length: 12' • Exposure: 16" • 14 Pcs./Ctn. • 220 Sq. Ft./Ctn. • 74.2 Lbs./Ctn.		White Black Almond Cameo Charcoal Grey Classic Cream Dark Bronze Desert Sand Evergreen Harbor Grey Linen Montana Suede Musket Brown Pebblestone Clay Royal Brown Rugged Canyon Sandtone Silver Grey Terra Bronze Victorian Grey Wicker
LCAS16419A Envoy Quad 4" Center Lanced U-Groove Soffit • Finish: Alupalure 2000® • Nominal Thickness: .019 • 9.7 Sq. In. N.F.A./Ft. • Length: 12' • Exposure: 16" • 14 Pcs./Ctn. • 220 Sq. Ft./Ctn. • 74.2 Lbs./Ctn.		

ENDURANCE® ALUMINUM SOFFIT


Product Code/Description

Color Availability

SVGN420144

Endurance Double 6" Solid V-Groove Soffit

- Finish: AlumaLure 2000®
- Nominal Thickness: .016
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.




- 240 Sq Ft./Ctn.
- 65 Lbs./Ctn.

White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Harbor Grey
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

SVG420144

Endurance Double 6" Perforated V-Groove Soffit

- Finish: AlumaLure 2000®
- Nominal Thickness: .016
- 15 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.




- 240 Sq Ft./Ctn.
- 59 Lbs./Ctn.

SAS12216

Endurance Double 6" Solid U-Groove Soffit

- Finish: AlumaLure 2000®
- Nominal Thickness: .016
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.




- 240 Sq Ft./Ctn.
- 67 Lbs./Ctn.

White
Musket Brown

LFA512216

Endurance Double 6" Lanced U-Groove Soffit

- Finish: AlumaLure 2000®
- Nominal Thickness: .016
- 10.6 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.



- 240 Sq Ft./Ctn.
- 67 Lbs./Ctn.


ENDURANCE® ALUMINUM SOFFIT

Product Code/Description

SAS12316

Endurance Triple 4" Solid U-Groove Soffit

- Finish: Alupalure 2000®
- Nominal Thickness: .016
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq Ft./Ctn.
- 68 Lbs./Ctn.




Color Availability

White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Harbor Grey
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

LCAS12316

Endurance Triple 4" Center Lanced U-Groove Soffit


- Finish: Alupalure 2000®
- Nominal Thickness: .016
- 4.4 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq Ft./Ctn.
- 69 Lbs./Ctn.



LFAS12316

Endurance Triple 4" Full Lanced U-Groove Soffit

- Finish: Alupalure 2000®
- Nominal Thickness: .016
- 13.2 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq Ft./Ctn.
- 68 Lbs./Ctn.



ECONOMY ALUMINUM SOFFIT


Product Code/Description

Color Availability

SAS12313

Economy Triple 4" Solid U-Groove Soffit

- Finish: Alupalure 2000®
- Nominal Thickness: .013
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq Ft./Ctn.
- 56 Lbs./Ctn.




White

LCAS12313

Economy Triple 4" Center Lanced U-Groove Soffit


- Finish: Alupalure 2000®
- Nominal Thickness: .013
- 4.4 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq Ft./Ctn.
- 56 Lbs./Ctn.



LFAS12313

Economy Triple 4" Full Lanced U-Groove Soffit

- Finish: Alupalure 2000®
- Nominal Thickness: .013
- 13.2 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 12"
- 20 Pcs./Ctn.
- 240 Sq Ft./Ctn.
- 56 Lbs./Ctn.



ECONOMY ALUMINUM SOFFIT


Product Code/Description

Color Availability

LFAS16413

Economy
Quad 4" Full Lanced
U-Groove Soffit

- Finish: Alupalure 2000®
- Nominal Thickness: .013
- 5.16 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 16'
- 18 Pcs./Ctn.
- 288 Sq Ft./Ctn.
- 65.25 Lbs./Ctn.




White
Royal Brown
Dark Bronze

SAS16413

Economy
Quad 4" Solid
U-Groove Soffit

- Finish: Alupalure 2000®
- Nominal Thickness: .013
- 5.16 Sq. In. N.F.A./Ft.
- Length: 12'
- Exposure: 16'
- 18 Pcs./Ctn.
- 288 Sq Ft./Ctn.
- 65.25 Lbs./Ctn.



White
Royal Brown
Dark Bronze


ALUMINUM FASCIA

Product Code/Description

F1C425

Envoy Smooth 4" Fascia Trim

- Finish: Alumalure 2000®
- Nominal Thickness: .024
- Length: 12'
- 25 Pcs./Ctn.
- 41 Lbs./Ctn.




Color Availability

White	Terra Bronze
Black	Wicker
Almond	
Cameo	
Dark Bronze	
Desert Sand	
Evergreen	
Linen	
Montana Suede	
Musket Brown	
Pebblestone Clay	
Royal Brown	
Sandtone	

F1C625

Envoy Smooth 6" Fascia Trim

- Finish: Alumalure 2000®
- Nominal Thickness: .024
- Length: 12'
- 25 Pcs./Ctn.
- 55 Lbs./Ctn.




White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Everest
Evergreen
Harbor Grey
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

F1C825

Envoy Smooth 8" Fascia Trim

- Finish: Alumalure 2000®
- Nominal Thickness: .024
- Length: 12'
- 25 Pcs./Ctn.
- 71 Lbs./Ctn.



White
Almond
Cameo
Dark Bronze
Desert Sand
Linen
Musket Brown
Pebblestone Clay
Terra Bronze
Wicker

F1C1025





Envoy Smooth 10" Fascia Trim

- Finish: Alumalure 2000®
- Nominal Thickness: .024
- Length: 12'
- 25 Pcs./Ctn.
- 85 Lbs./Ctn.



Optional
aluminum
fascia covers

ALUMINUM FASCIA

Product Code/Description		Color Availability
F1C4SR02425 Envoy Ribbed 4" Fascia Trim • Finish: Alumalure 2000® • Nominal Thickness: .024 • Length: 12' • 25 Pcs./Ctn. • 41 Lbs./Ctn.		White Black Almond Cameo Dark Bronze Desert Sand Evergreen Linen Montana Suede Musket Brown Pebblestone Clay Royal Brown Sandtone Terra Bronze Wicker
F1C6SR02425 Envoy Ribbed 6" Fascia Trim • Finish: Alumalure 2000® • Nominal Thickness: .024 • Length: 12' • 25 Pcs./Ctn. • 55 Lbs./Ctn.		White Black Almond Cameo Charcoal Grey Classic Cream Dark Bronze Desert Sand Evergreen Harbor Grey Linen Montana Suede Musket Brown Pebblestone Clay Royal Brown Rugged Canyon Sandtone Silver Grey Terra Bronze Victorian Grey Wicker
F1C8SR02425 Envoy Ribbed 8" Fascia Trim • Finish: Alumalure 2000® • Nominal Thickness: .024 • Length: 12' • 25 Pcs./Ctn. • 71 Lbs./Ctn.		White Almond Cameo Dark Bronze Desert Sand Linen Musket Brown Pebblestone Clay Terra Bronze Wicker
F1C10SR02425 Envoy Ribbed 10" Fascia Trim • Finish: Alumalure 2000® • Nominal Thickness: .024 • Length: 12' • 25 Pcs./Ctn. • 85 Lbs./Ctn.		White Almond Cameo Dark Bronze Desert Sand Linen Musket Brown Pebblestone Clay Terra Bronze Wicker

ALUMINUM FASCIA


Product Code/Description

Color Availability

F1C4SR25

Endurance Ribbed 4" Fascia Trim

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- Length: 12'
- 25 Pcs./Ctn.
- 35 Lbs./Ctn.




White
Almond
Cameo
Dark Bronze
Desert Sand
Linen
Musket Brown
Pebblestone Clay
Royal Brown
Terra Bronze
Wicker

F1C6SR25

Endurance Ribbed 6" Fascia Trim

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- Length: 12'
- 25 Pcs./Ctn.
- 47 Lbs./Ctn.




White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Terra Bronze
Wicker

F1C8SR25

Endurance Ribbed 8" Fascia Trim

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- Length: 12'
- 25 Pcs./Ctn.
- 59 Lbs./Ctn.




White
Almond
Cameo
Dark Bronze
Desert Sand
Musket Brown
Pebblestone Clay
Terra Bronze
Wicker

F1C10SR25

Endurance Ribbed 10" Fascia Trim

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- Length: 12'
- 25 Pcs./Ctn.
- 72 Lbs./Ctn.




White
Almond
Classic Cream
Wicker

GRT6SR12

Gable Rake 6" Fascia Trim

- Finish: AlumaLure 2000®
- Nominal Thickness: .019
- Length: 12'
- 12 Pcs./Ctn.
- 27 Lbs./Ctn.



ALUMINUM FASCIA


Product Code/Description

Color Availability

F1C4025

Envoy Wood Grain Embossed 4" Fascia Trim

- Finish: Alupalure 2000®
- Nominal Thickness: .024
- Length: 12'
- 25 Pcs./Ctn.
- 41 Lbs./Ctn.




White
Black
Almond
Cameo
Dark Bronze
Desert Sand
Evergreen
Linen
Montana Suede
Musket Brown
Pebblestone Clay

Royal Brown
Sandtone
Terra Bronze
Wicker

F1C6025

Envoy Wood Grain Embossed 6" Fascia Trim

- Finish: Alupalure 2000+
- Nominal Thickness: .024
- Length: 12'
- 25 Pcs./Ctn.
- 55 Lbs./Ctn.




White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Harbor Grey
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

F1C8025

Envoy Wood Grain Embossed 8" Fascia Trim


- Finish: Alupalure 2000®
- Nominal Thickness: .024
- Length: 12'
- 25 Pcs./Ctn.
- 71 Lbs./Ctn.



F1C10025

Envoy Wood Grain Embossed 10" Fascia Trim

- Finish: Alupalure 2000®
- Nominal Thickness: .024
- Length: 12'
- 25 Pcs./Ctn.
- 85 Lbs./Ctn.



White
Almond
Cameo
Dark Bronze
Desert Sand
Linen
Musket Brown
Pebblestone Clay
Terra Bronze
Wicker

ALUMINUM SOFFIT AND FASCIA ACCESSORIES


Product Code/Description

Color Availability

4APN20

General Purpose Trim

- Finish: Alumalure 2000®
- Nominal Thickness: .019
- Length: 12' 6"
- 20 Pcs./Ctn.
- 14.3 Lbs./Ctn.



White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Linen
Montana Suede


Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Terra Bronze
Victorian Grey
Wicker

F438

J-Channel - 3/8"

1" Face, Offset

- Finish: Alumalure 2000®
- Nominal Thickness: .019
- Length: 12' 6"
- 40 Pcs./Ctn.
- 42 Lbs./Ctn.



Use: 3/8" Soffit

White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Harbor Grey
Linen
Montana Suede


Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

F438425

J-Channel - 3/8"

3/4" Face

- Finish: Alumalure 2000®
- Nominal Thickness: .016
- Length: 12' 0"
- 25 Pcs./Ctn.
- 19 Lbs./Ctn.



Use: 3/8" Soffit

White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Everest
Evergreen
Harbor Grey
Linen
Montana Suede
Musket Brown
Pebblestone Clay

Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

ALUMINUM SOFFIT AND FASCIA ACCESSORIES

Product Code/Description

Color Availability


SJ1625

J-Channel - 1/2"

3/4" Face

- Finish: Alupalure 2000®
- Nominal Thickness: .016
- Length: 12' 0"
- 25 Pcs./Ctn.
- 18 Lbs./Ctn.

Use: 1/2" Soffit



White
Black
Almond
Cameo
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Linen
Musket Brown
Pebblestone Clay

Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Wicker


58ALJ25

J-Channel - 5/8"

1" Face

- Finish: Alupalure 2000®
- Nominal Thickness: .019
- Length: 12'
- 25 Pcs./Ctn.
- 22.5 Lbs./Ctn.

Note: For use with 5/8" vinyl soffit



White
Almond
Cameo
Charcoal Grey
Classic Cream
Desert Sand
Everest
Harbor Grey
Linen
Montana Suede
Musket Brown


Pebblestone Clay
Rugged Canyon
Sandtone
Silver Grey
Victorian Grey
Wicker

78ALJ25

J-Channel - 7/8"

- Finish: Alupalure 2000®
- Nominal Thickness: .019
- Length: 12'
- 25 Pcs./Ctn.
- 26 Lbs./Ctn.

Note: For use with 5/8" or 3/4" vinyl siding and soffit.




White
Almond
Cameo
Classic Cream
Desert Sand
Linen
Montana Suede
Pebblestone Clay
Sandtone
Wicker

SAT38

T-Channel - 3/8"

1 1/4" Face

- Finish: Alupalure 2000®
- Nominal Thickness: .019
- Length: 10'
- 10 Pcs./Ctn.
- 14 Lbs./Ctn.



White
Black
Almond
Cameo
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Linen
Montana Suede

Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Wicker

ALUMINUM SOFFIT AND FASCIA ACCESSORIES

Product Code/Description

Color Availability


F8S25

F-Channel - 3/8"

1-1/4" Face

- Finish: Alumalure 2000®
- Nominal Thickness: .019
- Length: 12'
- 25 Pcs./Ctn.
- 37 Lbs./Ctn.

Use: 3/8" Soffit



White
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Everest
Evergreen
Harbor Grey
Linen
Montana Suede
Musket Brown
Pebblestone Clay

Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker


F12

F-Channel - 1/2"

5/8" Face

- Finish: Alumalure 2000®
- Nominal Thickness: .019
- Length: 12' 0"
- 25 Pcs./Ctn.
- 20 Lbs./Ctn.

Use: 1/2" Soffit



White
Musket Brown


SF1625

F-Channel - 1/2"

1" Face

- Finish: Alumalure 2000®
- Nominal Thickness: .019
- Length: 12'
- 25 Pcs./Ctn.
- 37 Lbs./Ctn.

Use: 1/2" Soffit



White
Almond
Cameo
Desert Sand
Linen
Musket Brown
Pebblestone Clay
Royal Brown
Sandtone
Silver Grey
Terra Bronze
Wicker


SF58

F-Channel - 5/8"

1" Face

- Finish: Alumalure 2000®
- Nominal Thickness: .019
- Length: 12' 1"
- 24 Pcs./Ctn.
- 38 Lbs./Ctn.

For use with 5/8" Vinyl Soffit



White
Almond
Cameo
Pebblestone Clay
Wicker

ALUMINUM SOFFIT AND FASCIA ACCESSORIES

Product Code/Description

WBTU

Touch-Up Paint


- (Bottled with brush)
- 1 Oz./Plastic Bottles
- 6/Ctn.
- 0.9 Lb./Ctn.



TN1250

#15 Stainless Steel Trim Nails - 1-1/4"

- 1 Lb./Ctn.



Color Availability

- | | |
|------------------|----------------|
| Black | Rugged Canyon |
| Almond | Sandtone |
| Cameo | Silver Grey |
| Charcoal Grey | Terra Bronze |
| Classic Cream | Victorian Grey |
| Dark Bronze | Wicker |
| Desert Sand | White |
| Everest | |
| Evergreen | |
| Harbor Grey | |
| Linen | |
| Montana Suede | |
| Musket Brown | |
| Pebblestone Clay | |
| Royal Brown | |

ROOF AND EAVE VENTILATION PRODUCTS


Product Code/Description

Color Availability

VAR

Vent-A-Ridge®

- Aluminum
- Length: 10'
- 12 Pcs./Ctn.
- 18 Sq. In. Net Free Ventilation/Ln. Ft.
- 52 Lbs./Ctn.



White
Black
Musket Brown

VAREP36

End Plug for VAR

- Solid Polymer
- 36 Pcs./Ctn.
- 5 Lbs./Ctn.




Black

VAS70

Vent-A-Strip (Model 70)

- Aluminum
- Length: 8'
- 36 Pcs./Ctn.
- 8.8 Sq. In. Net Free Ventilation/Ln. Ft.
- 29 Lbs./Ctn.




Mill

White
Musket Brown

VAS79

Vent-A-Strip (Model 79)

- Aluminum
- Length: 8'
- 36 Pcs./Ctn.
- 9.9 Sq. In. Net Free Ventilation/Ln. Ft.
- 33 Lbs./Ctn.



GUTTER COIL

Description	Product Code	Thickness (nominal)	Width	Nominal Length	Target Coil Weight (+/-50 Lbs.)	Ft./Lb. Conversion	Color Availability
Gutter Coil One-Side Finish Coat • 16" Center I.D.	GC11750	.027	11.750"	950	350	2.713	30° White (Medium Gloss)
	GC1175032	.032	11.750"	825	350	2.36	80° White (High Gloss)
	GC11875	.027	11.875"	940	350	2.684	Black
	GC1187532	.032	11.875"	820	350	2.306	Almond
	GC1300032	.032	13.000"	750	350	2.133	Cameo
	GC15000	.027	15.000"	750	350	2.125	Charcoal Grey
	GC1500032	.032	15.000"	650	350	1.849	Classic Cream
							Dark Bronze
							Desert Sand
							Evergreen
							Jefferson Tan
							Linen
							Montana Suede
							Musket Brown
							Pebblestone Clay
							Royal Brown
							Rugged Canyon
							Sandtone
							Silver Grey
							Terra Bronze
							Victorian Grey
							Wicker

Extended Lead Time Colors

Everest
Harbor Grey

*These colors are only available in .032" and does not include 13"

*Extended lead time colors only available in SR1175032, SR11875032 and SR1500032

DOWNSPOUT COIL

Description	Product Code	Thickness (nominal)	Width	Weight Target (Lbs.)	Color Availability
-------------	--------------	------------------------	-------	-------------------------	--------------------

2 x 3 Downspout Coil

- 16" Center I.D.
- 3615' per Roll/appx.
- 750# = 3615' appx.



(±75)

DC10500

.019

10.500"

750

30° White
(Medium Gloss)
80° White
(High Gloss)
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Jefferson Tan
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Sandtone
Terra Bronze
Victorian Grey
Wicker

3 x 4 Downspout Coil

- 16" Center I.D.
- 1000 lb. = 3680' appx.
- 500 lb. = 1840' appx.



(±75)

DC13750

.019

13.750"

1000

DC1375500

.019

13.750"

500

GUTTER ACCESSORIES


Product Code/Description

Color Availability

IBM5

5" Inside Box Miter

- Nominal Thickness: .019
- 20 Pcs./Ctn.
- 8 Lbs./Ctn.




30° White (Medium Gloss)
 80° White (High Gloss)
 Black
 Almond
 Cameo
 Charcoal Grey
 Classic Cream
 Dark Bronze
 Desert Sand
 Everest
 Evergreen
 Harbor Grey
 Jefferson Tan
 Linen
 Montana Suede
 Musket Brown
 Pebblestone Clay
 Royal Brown
 Rugged Canyon
 Sandtone
 Silver Grey
 Terra Bronze
 Victorian Grey
 Wicker

OBM5

5" Outside Box Miter

- Nominal Thickness: .019
- 20 Pcs./Ctn.
- 8 Lbs./Ctn.



ISM5

5" Inside Strip Miter

- Nominal Thickness: .032
- 20 Pcs./Ctn.
- 2.2 Lbs./Ctn.



OSM5

5" Outside Strip Miter

- Nominal Thickness: .032
- 20 Pcs./Ctn.
- 2.3 Lbs./Ctn.



*Not available in OBM5

*Not available in OSM5

*Not available in IBM5 or ISM5

GUTTER ACCESSORIES

Product Code/Description

ISBAY5

5" Inside 45° Bay Miter


- Nominal Thickness: .032
- 12 Pcs./Ctn.
- 1.1 Lbs./Ctn.



OSBAY5

5" Outside 45° Bay Miter

- Nominal Thickness: .032
- 12 Pcs./Ctn.
- 1.1 Lbs./Ctn.



Color Availability

30° White
(Medium Gloss/Paintable)
80° White
(High Gloss)
Black
Almond
Cameo
Dark Bronze
Musket Brown
Pebblestone Clay
Royal Brown
Wicker

EC5L

5" Left End Caps

- Nominal Thickness: .019
- 50 Pcs./Ctn.
- 2.6 Lbs./Ctn.



30° White
(Medium Gloss)
80° White
(High Gloss)
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Everest
Evergreen
Harbor Grey
Jefferson Tan
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker




EC5R

5" Right End Caps

- Nominal Thickness: .019
- 50 Pcs./Ctn.
- 2.6 Lbs./Ctn.



GUTTER ACCESSORIES

Product Code/Description		Color Availability
IBM6 6" Inside Box Miter - Nominal Thickness: .019 20 Pcs./Ctn. 13 Lbs./Ctn.		30° White (Medium Gloss) 80° White (High Gloss) Black Almond Cameo Charcoal Grey Classic Cream Dark Bronze Desert Sand Everest Evergreen Harbor Grey Jefferson Tan Linen Montana Suede Musket Brown Pebblestone Clay Royal Brown Rugged Canyon Sandtone Silver Grey Terra Bronze Victorian Grey Wicker
OBM6 6" Outside Box Miter - Nominal Thickness: .019 20 Pcs./Ctn. 12 Lbs./Ctn.		
ISM6 6" Inside Strip Miter - Nominal Thickness: .032 20 Pcs./Ctn. 3.4 Lbs./Ctn.		
OSM6 6" Outside Strip Miter - Nominal Thickness: .032 20 Pcs./Ctn. 3.2 Lbs./Ctn.		

*Not available in OBM6

**Not available in OSM6

GUTTER ACCESSORIES

Product Code/Description

ISBAY6

6" Inside 45° Bay Miter

- Nominal Thickness: .032
- 12 Pcs./Ctn.
- 2 Lbs./Ctn.



OSBAY6

6" Outside 45° Bay Miter

- Nominal Thickness: .032
- 12 Pcs./Ctn.
- 2 Lbs./Ctn.



Color Availability

30° White
(Medium Gloss/Paintable)
80° White
(High Gloss)
Black
Almond
Cameo
Dark Bronze
Musket Brown
Pebblestone Clay
Royal Brown
Wicker

EC6L

6" Left End Caps

- Nominal Thickness: .019
- 50 Pcs./Ctn.
- 3.6 Lbs./Ctn.



30° White
(Medium Gloss)
80° White
(High Gloss)
Black
Almond
Cameo
Classic Cream
Charcoal Grey
Dark Bronze
Desert Sand
Everest
Evergreen
Harbor Grey
Jefferson Tan

Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

EC6R

6" Right End Caps


- Nominal Thickness: .019
- 50 Pcs./Ctn.
- 3.6 Lbs./Ctn.




GUTTER ACCESSORIES

Product Code/Description		Color Availability
R0T2X3		
Outlet Tubes		
• 2" x 3" Rectangular		
• 30 Pcs./Ctn.		
• 1.9 Lbs./Ctn.		
R0T3X4		
Outlet Tubes		
• 3" x 4" Rectangular		
• 50 Pcs./Ctn.		
• 3.9 Lbs./Ctn.		

Mill Finish





GUTTER AND DOWNSPOUT COIL ACCESSORIES

Product Code/Description


Color Availability

AM5HID

Mill Finish

Aluminum 5" Hidden Hanger

- Nominal Thickness: .065
- 100 Pcs./Ctn.
- 6 Lbs./Ctn.




AM5ZIP500

Mill Finish

Aluminum 5" Zip Hanger

- 500 Pcs./Ctn.
- 37 Lbs./Ctn.




AM6ZIP

Mill Finish

Aluminum 6" Zip Hanger

- 50 Pcs./Ctn.
- 5 Lbs./Ctn.




GS50Z

Mill Finish

Gutter Seal

- 24 Tubes./Ctn.
- 8 Lbs./Ctn.
- 5 oz.




GSW40Z J1

White

Gutter Seal

- 12 Tubes./Ctn.
- 3.75 Lbs./Ctn.
- 4 oz.




ASDIV

White

Valley Water Diverter

- 30 Pcs./Ctn.
- 1.6 Lbs./Ctn.



DOWNSPOUTS AND ACCESSORIES

Product Code/Description


Color Availability

DS2X3

2" x 3" Downspout
Length: 10'

- Nominal Thickness: .019
- 10 Pcs./Ctn.
- 26 Lbs./Ctn.

Note: Minimum order-one carton.




30° White
(Medium Gloss)
80° White
(High Gloss)
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Harbor Grey
Jefferson Tan
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

E2X3A

2" x 3" Elbow, Style A

- Nominal Thickness: .019
- 30 Pcs./Ctn.
- 7 Lbs./Ctn.

Note: Minimum order-one carton.




75°

E2X3B

2" x 3" Elbow, Style B

- Nominal Thickness: .019
- 30 Pcs./Ctn.
- 7 Lbs./Ctn.

Note: Minimum order-one carton.



75°

Extended Lead Time Colors
Everest

*Not available in DS2x3A & DS2x3B

**Not available in DS2x3

DOWNSPOUTS AND ACCESSORIES


Product Code/Description

E2X3A30

2" x 3" Elbow, 30° Style A

- Nominal Thickness: .019
- 30 Pcs./Ctn.
- 7 Lbs./Ctn.

Use: short overhang / ledges



Color Availability

30° White
(Medium Gloss)

80° White
(High Gloss)

Black

Almond

Cameo

Classic Cream

Dark Bronze

Desert Sand

Evergreen

Linen

Musket Brown

Pebblestone Clay

Royal Brown

Sandtone

Terra Bronze

Victorian Grey


Wicker

DS2X38

2" x 3" Downspout

- Nominal Thickness: .019
- Length: 8'
- 10 Pcs./Ctn.
- 20 Lbs./Ctn.

Note: Minimum order-one carton.



30° White
(Medium Gloss)

DOWNSPOUTS AND ACCESSORIES

Product Code/Description

Color Availability

LEDGE152X3

2" x 3" Downspout with 1.5" Offset

- Nominal Thickness: .019
- 25 Pcs./Ctn.
- 6 Lbs./Ctn.




30° White
(Medium Gloss)
80° White
(High Gloss)
Musket Brown
Pebblestone Clay

LEDGE302X3

2" x 3" Downspout with 3" Offset

- Nominal Thickness: .019
- 20 Pcs./Ctn.
- 6 Lbs./Ctn.




DS3X4

3" x 4" Downspout

- Nominal Thickness: .019
- Length: 10'
- 10 Pcs./Ctn.
- 34 Lbs./Ctn.

Note: Minimum order-one carton.




30° White
(Medium Gloss)
80° White
(High Gloss)
Black
Almond
Cameo
Charcoal Grey
Classic Cream
Dark Bronze
Desert Sand
Evergreen
Harbor Grey
Jefferson Tan
Linen
Montana Suede
Musket Brown
Pebblestone Clay
Royal Brown
Rugged Canyon
Sandtone
Silver Grey
Terra Bronze
Victorian Grey
Wicker

E3X4A

3" x 4" Elbow, Style A

- Nominal Thickness: .019
- 20 Pcs./Ctn.
- 7 Lbs./Ctn.

Note: Minimum order-one carton.




75°

E3X4B

3" x 4" Elbow, Style B

- Nominal Thickness: .019
- 20 Pcs./Ctn.
- 8 Lbs./Ctn.

Note: Minimum order-one carton.



75°

Extended Lead Time Colors
Everest

DOWNSPOUTS AND ACCESSORIES


Product Code/Description

E3X4A30

3" x 4" Elbow, 30° Style A

- Nominal Thickness: .019
- 20 Pcs./Ctn.
- 8 Lbs./Ctn.

Use: short overhang / ledges



Color Availability

30° White
(Medium Gloss)

80° White
(High Gloss)

Black

Almond

Cameo

Classic Cream

Dark Bronze

Desert Sand

Evergreen

Linen

Musket Brown

Pebblestone Clay

Royal Brown

Sandtone

Terra Bronze

Victorian Grey


Wicker

DS3X48

3" x 4" Downspout

- Nominal Thickness: .019
- Length: 8'
- 10 Pcs./Ctn.
- 29 Lbs./Ctn.

Note: Minimum order-one carton.



30° White

(Medium Gloss)

LEDGE203X4

3" x 4" Downspout with 2" Offset

- Nominal Thickness: .019
- 12 Pcs./Ctn.
- 5.5 Lbs./Ctn.



30° White

(Medium Gloss)

80° White

(High Gloss)

Musket

Pebblestone Clay

LEDGE403X4

3" x 4" Downspout with 4" Offset

- Nominal Thickness: .019
- 12 Pcs./Ctn.
- 5.7 Lbs./Ctn.




LEDGE603X4

3" x 4" Downspout with 6" Offset

- Nominal Thickness: .019
- 12 Pcs./Ctn.
- 6.5 Lbs./Ctn.



GUTTER AND DOWNSPOUT COIL ACCESSORIES

Product Code/Description		Color Availability
DPB Downspout Pipe Band -Universal • (Fits 2" x 3" or 3" x 4" Downspout) • 100 Pcs./Ctn. • Packaged Flat • 3.6 Lbs./Ctn.		30° White (Medium Gloss) 80° White (High Gloss) Black Almond Cameo Charcoal Grey Classic Cream Dark Bronze Desert Sand Everest Evergreen Harbor Grey Jefferson Tan* Linen Montana Suede Musket Brown Pebblestone Clay Royal Brown Rugged Canyon Sandtone Silver Grey Terra Bronze Victorian Grey Wicker
GR1 1/8" Bind Pop Rivets* • 100 Pcs./Bag • 10 Bags/Box • 1.25 Lbs./Box * Not available in J0 or J1.		
GZS8 #8 x 1/2" Zip Screws • 100 Pcs./Bag • 10 Bags/Ctn. • 3.8 Lbs./Ctn.		*Not available in DPB *Not available in GCTU & GCTU1
GCTU Touch Up Paint (Aerosol) • 12 Ozs./Can • 12 Cans/Ctn. • 12.6 Lbs./Ctn. * Extended Lead Time.		
GCTU1 Touch Up Paint (Aerosol Single Can) • 12 Ozs./Can • 1 Can/Ctn. • 1.2 Lb./Ctn. * Extended Lead Time.		

METAL ACCESSORIES PROGRAM FOR FIBER CEMENT

James Hardie Colors

Category	Product Code	Description	Color Availability	
Soffit	SAS12316	Endurance T4 Soffit Solid	J0/04	White
	LCAS12316	Endurance T4 Soffit Center	620	Autumn Tan
		Vent	625	Khaki Brown
	LFA512316	Endurance T4 Soffit Full Vent	A5	Monterey Taupe
	F438425	3/8" J-Channel	53	Navajo Beige (Almond)
			A8	Sail Cloth
			297	Sandstone Beige
			581	Woodstock Brown

7" RAINWARE PROGRAM

Product Code/Description	Color Availability
Gutter Coil GC17875 .027" X 17.875" Gutter Coil • Nominal Thickness: .027 • 450 Lbs./Roll • 2 Ro/Pallet	30° White (Medium Gloss) 80° White (High Gloss) Black Almond Cameo Classic Cream Dark Bronze Desert Sand Linen Montana Suede Musket Brown Pebblestone Clay Royal Brown Sandtone Wicker
Gutter Accessories ISM7 7" Inside Strip Miter OSM7 7" Outside Strip Miter • 20 Pcs./Ctn. • 4.2 Lbs./Ctn.	
EC7L 7" Left End Cap EC7R 7" Right End Cap • 50 Pcs./Ctn. • 4.5 Lbs./Ctn.	
Downspouts, Elbows and Accessories	
DS4X5 4" x 5" x 10' Downspout • Nominal Thickness: .027 • 6 Pcs./Ctn. • 35 Lbs./Ctn. E4X5A 4" x 5" A Elbow E4X5B 4" x 5" B Elbow • Nominal Thickness: .027 • 9 Pcs./Ctn. • 7 Lbs./Ctn. AM7ZIP 01 7" Zip Hangers • 250 Pcs./Ctn. • 30 Lbs./Ctn.	AM7HID 01 7" Hidden Hangers • 350 Pcs./Ctn. • 18 Lbs./Ctn. OT4X5 01 4" x 5" Outlet Tube • 10 Pcs./Ctn. • 1 Lbs./Ctn. SN7200S 00 7" Leaf Relief Combo Hanger w/Screws • 7' 6" Length • 200 Screws/Ctn. • 24 Pcs./Ctn. • 47 Lbs./Ctn.

ROUND DOWNSPOUT PROGRAM

Product Code/Description

Color Availability

Downspout, Elbow, Offsets

DSR4

4" Smooth Round Downspout

- Nominal Thickness: .024
- 5 Pcs./Ctn.
- 21 Lbs./Ctn.



30° White
(Medium Gloss)
Black
Dark Bronze

ESR4

4" Smooth Round Elbow 75°

- Nominal Thickness: .024
- 20 Pcs./Ctn.
- 11 Lbs./Ctn.



OSR420

4" Smooth Round - 2' Offset

- Nominal Thickness: .024
- 10 Pcs./Ctn.
- 5 Lbs./Ctn.




OSR440

4" Smooth Round - 4' Offset

- Nominal Thickness: .024
- 10 Pcs./Ctn.
- 6 Lbs./Ctn.






ENVOY® SECTIONAL GUTTER

5" GUTTER AND ACCESSORIES

Product Code/Description		Color Availability
OG16A Envoy Sectional 5" OG Gutter - Nominal Thickness: .032 - Length: 16' 10 Pcs./Ctn. 160'/Ctn. 80 Lbs./Ctn.		80° White (High Gloss) Almond Desert Sand Evergreen Musket Brown Pebblestone Clay Sandtone Terra Bronze Victorian Grey
OG21A Envoy Sectional 5" OG Gutter - Nominal Thickness: .032 - Length: 21' 10 Pcs./Ctn. 210'/Ctn. 105 Lbs./Ctn.		
OG26 Envoy Sectional 5" OG Gutter - Nominal Thickness: .032 - Length: 26' 6 Pcs./Ctn. 156'/Ctn. 81 Lbs./Ctn.		
OG33A Envoy Sectional 5" OG Gutter - Nominal Thickness: .032 - Length: 33' 6 Pcs./Ctn. 198'/Ctn. 103 Lbs./Ctn.		
OG37A Envoy Sectional 5" OG Gutter - Nominal Thickness: .032 - Length: 37' 6 Pcs./Ctn. 222'/Ctn. 115 Lbs./Ctn.		






ENVOY® SECTIONAL GUTTER

5" GUTTER ACCESSORIES

Product Code/Description		Color Availability	
OG155		80° White (High Gloss)	Pebblestone Gray
5" End Caps - Nominal Thickness: .024 25 R and 25 L 25 Sets/Ctn. 50 Pcs./Ctn. 3.3 Lbs./Ctn.		Almond	Sandtone
		Desert Sand	Terra Bronze
		Evergreen	Victorian Grey
		Musket Brown	
OG25		Mill	
Neoprene Expansion Joint 12 Pcs./Ctn. 4 Lbs./Ctn.			
OG91			
Snug-Fit Hanger - Nominal Thickness: .081 100 Pcs./Ctn. 11.2 Lbs./Ctn.			
OG101			
Combination Hanger - Nominal Thickness: .081 100 Pcs./Ctn. 8.4 Lbs./Ctn.			
OG111			
Strap Hanger - Nominal Thickness: .081 100 Pcs./Ctn. 9.6 Lbs./Ctn.			

ENVOY® SECTIONAL GUTTER

5" GUTTER ACCESSORIES

Product Code/Description		Color Availability
OG12R1 Bar Hanger - Nominal Thickness: .081 100 Pcs./Ctn. 7.4 Lbs./Ctn.		Mill
OG131 Roof Hanger - Nominal Thickness: .062 100 Pcs./Ctn. 13 Lbs./Ctn.		Mill
OG141 Combination Strap Hanger - Nominal Thickness: .081 100 Pcs./Ctn. 12 Lbs./Ctn.		Mill
RT312 Roof Apron, Rectangular - Nominal Thickness: .032 - Length: 12' 20 Pcs./Ctn. 320'/Ctn. 47 Lbs./Ctn.		80° White (High Gloss) Almond Desert Sand Evergreen Musket Brown Pebblestone Clay Sandtone Terra Bronze Victorian Grey
RT412 Fascia Apron, Rectangular - Nominal Thickness: .032 - Length: 12' 20 Pcs./Ctn. 240'/Ctn. 15 Lbs./Ctn.		80° White (High Gloss) Almond Desert Sand Evergreen Musket Brown Pebblestone Clay Sandtone Terra Bronze Victorian Grey

ENVOY® SECTIONAL GUTTER


6" GUTTER AND ACCESSORIES

Product Code/Description

OG21A6

Envoy Sectional 6" OG Gutter

- Nominal Thickness: .032
- Length: 21'
- 6 Pcs./Ctn.
- 126'/Ctn.
- 79 Lbs./Ctn.



OG37A6

Envoy Sectional 6" OG Gutter

- Nominal Thickness: .032
- Length: 37'
- 4 Pcs./Ctn.
- 148'/Ctn.
- 95 Lbs./Ctn.


Color Availability

80° White
(High Gloss)
Almond
Desert Sand
Evergreen
Musket Brown
Pebblestone Clay
Sandtone
Terra Bronze
Victorian Grey

OG1565

6" End Caps

- Nominal Thickness: .024
- 25 Sets/Ctn.
- 50 Pcs./Ctn.
- 4.5 Lbs./Ctn.







80° White
(High Gloss)
Almond
Desert Sand
Evergreen
Musket Brown

Pebblestone Clay
Sandtone
Terra Bronze
Victorian Grey

ENVOY® SECTIONAL GUTTER

6" GUTTER AND ACCESSORIES

Product Code/Description		Color Availability
OG256 Neoprene Expansion Joint • 12 Pcs./Ctn. • 5 Lbs./Ctn.		Mill
OG1061 Combination Hanger • Nominal Thickness: .081 • 100 Pcs./Ctn. • 9.4 Lbs./Ctn.		Mill
OG1161 Strap Hanger • Nominal Thickness: .081 • 100 Pcs./Ctn. • 11 Lbs./Ctn.		Mill
OG12R61 Bar Hanger • Nominal Thickness: .081 • 100 Pcs./Ctn. • 8.3 Lbs./Ctn.		Mill
OG1361 Roof Hanger • Nominal Thickness: .062 • 100 Pcs./Ctn. • 13 Lbs./Ctn.		Mill

ENVOY® SECTIONAL GUTTER DOWNSPOUTS AND ACCESSORIES


Product Code/Description

Color Availability

RT34

3" x 4" Rectangular Corrugated Downspout

- Nominal Thickness: .024
- Length: 10'
- 10 Pcs./Ctn.
- 100'/Ctn.
- 43 Lbs./Ctn.




30° White
(Medium Gloss)
80° White
(High Gloss)
Almond
Desert Sand
Evergreen
Musket Brown
Pebblestone Clay
Sandtone
Terra Bronze
Victorian Grey

RTA74

3" x 4" Style "A" Rectangular Elbow


- Nominal Thickness: .024
- Degree: 75°
- 20 Pcs./Ctn.
- 9 Lbs./Ctn.



RTB74

3" x 4" Style "B" Rectangular Elbow


- Nominal Thickness: .024
- Degree: 75°
- 20 Pcs./Ctn.
- 10 Lbs./Ctn.



RTA3

Downspout Clip

- (For 3" x 4" Downspout)
- Nominal Thickness: .024
- 100 Pcs./Ctn.
- 2.8 Lbs./Ctn.



30° White
(Medium Gloss)
80° White
(High Gloss)
Black
Almond
Cameo
Classic Cream
Dark Bronze
Desert Sand

Evergreen
Linen
Musket Brown
Pebblestone Clay
Royal Brown
Sandtone
Terra Bronze
Victorian Grey
Wicker

ENVOY® SECTIONAL GUTTER DOWNSPOUTS AND ACCESSORIES


Product Code/Description

Color Availability

RT2

2" x 3" Rectangular Corrugated Downspout

- Nominal Thickness: .024
- Length: 10' • 100'/Ctn.
- 10 Pcs./Ctn. • 33 Lbs./Ctn.




30° White
(Medium Gloss)
80° White
(High Gloss)
Almond
Desert Sand
Evergreen
Musket Brown
Pebblestone Clay
Sandtone
Terra Bronze
Victorian Grey

2" x 3" Style "A" Rectangular Elbow

RTA4 (80° White High Gloss
Only)

- Nominal Thickness: .024 • 30 Pcs./Ctn.
- Degree: 45° • 8 Lbs./Ctn.




RTA7

- Nominal Thickness: .024 • 30 Pcs./Ctn.
- Degree: 75° • 9 Lbs./Ctn.

RTB7

2" x 3" Style "B" Rectangular Elbow


- Degree: 75°
- Nominal Thickness: .024 • 30 Pcs./Ctn.
- 9 Lbs./Ctn.



R0T2X3

2" x 3" Rectangular Eave Tube

- Nominal Thickness: .024
- 30 Pcs./Ctn.
- 1.9 Lbs./Ctn.




Mill

RTA2

Downspout Clip

- (For 2" x 3" Downspout)
- Nominal Thickness: .024
- 100 Pcs./Ctn.
- 1.7 Lbs./Ctn.




30° White
(Medium Gloss)
80° White
(High Gloss)
Black
Almond
Cameo
Clasic Cream
Dark Bronze
Desert Sand

Evergreen
Linen
Musket Brown
Pebblestone Clay
Royal Brown
Sandtone
Terra Bronze
Victorian Grey
Wicker

RT235

Downspout Anchor Clip with Screw

- 50 Sets/Ctn.
- 3.2 Lbs./Ctn.



Mill

LEAF RELIEF® 5"

GUTTER PROTECTION SYSTEMS

Product Code/Description

Color Availability

D11500

33 Black

DuoPro 5" Dual Layer Microfiltration - Continuous Hanger

- Nominal Thickness: .019
- Length: 7' 6"
- 24 Pcs./Ctn.
- 180'/Ctn.
- 47 Lbs./Ctn.

Note: 200 screws/Ctn. Use Leaf Relief DuoPro 5" Dual Layer Universal Corner or Access Panel Kit UA11500.

UA11500

DuoPro 5" Dual Layer Microfiltration Universal Inside/Outside Corner or Access Panel Kit

- Nominal Thickness: .019
- 10 Corners or 20 Access Panels/Ctn
- 5 Lbs./Ctn.

Note: Use with D11500 DuoPro 5" Dual Layer Microfiltration Continuous Hanger. Universal Inside/Outside/Access Panel functions as either one corner or two Access Panels.

Leaf Relief




SN5200S

00 Mill Finish

5" Continuous Hanger

- Nominal Thickness: .019
- Length: 7' 6"
- 48 Pcs./Ctn.
- 360'/Ctn.
- 59.4 Lbs./Ctn.


Note: 300 screws/Ctn. Use Leaf Relief corner kits OC5220/IC5220.



APSN52

5" Leaf Relief Access Panel

- Nominal Thickness: .019
- Length: 1' 6"
- 20 Pcs./Ctn.
- 30'/Ctn.
- 5.8 Lbs./Ctn.



Leaf Relief CH
& DuoPro on
new gutters



LEAF RELIEF® 5"

GUTTER PROTECTION SYSTEMS

Product Code/Description


Color Availability

SN5200BG

5" Box Gutter Continuous Hanger

- Length: 7' 6"
- 360'/Ctn.
- 63 Lbs./Ctn.
- 300 screws included.

Note: Use Leaf Relief corner kit UA5200BG Universal Inside/Outside Corner Access Panel.



33 Black

UA5200BG

5" Box Gutter Continuous Hanger Universal Inside/Outside Corner/Access Panel Kit

- 10 Corners or 20 Access Panels/Ctn.
- 4 Lbs./Ctn.

TP5300

5" Classic

- Nominal Thickness: .019
- Length: 10'
- 32 Pcs./Ctn.
- 320'/Ctn.
- 48.6 Lbs./Ctn.




00 Mill Finish

TP53ZIP

5" Zip


- Nominal Thickness: .019
- Length: 10'
- 32 Pcs./Ctn.
- 320'/Ctn.
- 51.8 Lbs./Ctn.



TP5100Q

5" Adjustable

- Nominal Thickness: .019
- Length: 7' 6"
- 16 Pcs./Ctn.
- 120'/Ctn.
- 22 Lbs./Ctn.



Installing classic
Leaf Relief on
existing gutters



LEAF RELIEF® 5"

GUTTER PROTECTION SYSTEMS

Product Code/Description


Color Availability

TPC5100

0C Copper

5" Adjustable Copper

- Nominal Thickness: .017
- Length: 7' 6"
- 16 Pcs./Ctn.
- 120'/Ctn.
- 71.6 Lbs./Ctn.
- 200 Copper screws included.



Use only with K or OG-style copper gutters.


*Special order. One Carton Minimum. Call for price and lead time.

HR5400

00 Mill Finish

5" Half-Round

- Nominal Thickness: .024
- Length: 7' 6"
- 16 Pcs./Ctn.
- 120'/Ctn.
- 22.6 Lbs./Ctn.




HRC5400

0C Copper

5" Half Round Copper

- Nominal Thickness: .017
- Length: 7' 6"
- 16 Pcs./Ctn.
- 120'/Ctn.
- 56.5 Lbs./Ctn.
- 200 Copper screws included.



Use only with 5" Half-Round copper gutters.


*Special order. One Carton Minimum. Call for price and lead time.

OC5220

00 Mill Finish

5" Outside Corners

- Nominal Thickness: .019
- 20 Complete Corners/Ctn.
- 3.4 Lbs./Ctn.




Use with SN5200S, TP5100Q, TP5300, TP53ZIP

IC5220

5" Inside Corners

- Nominal Thickness: .019
- 20 Complete Corners/Ctn.
- 3.4 Lbs./Ctn.



Use with SN5200S, TP5100Q, TP5300, TP53ZIP

LEAF RELIEF® 6"

GUTTER PROTECTION SYSTEMS

Product Code/Description	Color Availability
--------------------------	--------------------

D11600
**DuoPro 6" Dual Layer
 Microfiltration -
 Continuous Hanger**

33 Black

- Nominal Thickness: .019
- Length: 7' 6"
- 24 Pcs./Ctn.
- 180'/Ctn.
- 200 screws included
- 54 Lbs./Ctn.

Note: Use Leaf Relief DuoPro 6" Dual Layer Universal Corner or Access Panel Kit UA11600. Universal Inside/Outside/Access Panel functions as either one corner or two Access Panels.

UA11600
**DuoPro 6" Dual Layer
 Microfiltration Universal
 Inside/Outside Corner or
 Access Panel Kit**


- Nominal Thickness: .019
- 10 Corners or 20 Access Panels/Ctn
- No screws included
- 5 Lbs./Ctn.

Note: Use with D11600 DuoPro 6" Dual Layer Microfiltration Continuous Hanger. Universal Inside/Outside/Access Panel functions as either one corner or two Access Panels.

SN6200S
6" Continuous Hanger

00 Mill Finish

- Nominal Thickness: .019
- Length: 7' 6"
- 34 Pcs./Ctn.
- 255'/Ctn.
- 49.4 Lbs./Ctn.




Note: 300 screws/Ctn. Use Leaf Relief corner kits OC6220/IC6220

APSN62
6" Leaf Relief Access Panel

00 Mill Finish

- Nominal Thickness: .019
- Length: 1' 6"
- 20 Pcs./Ctn.
- 30'/Ctn.
- 6.6 Lbs./Ctn.



**Leaf Relief CH
 & DuoPro on
 new gutters**



LEAF RELIEF® 6"

GUTTER PROTECTION SYSTEMS

Product Code/Description


Color Availability

SN6200BG

33 Black

6" Box Gutter Continuous Hanger

- Nominal Thickness: .019
- Length: 7' 5"
- 34 Pcs./Ctn.
- 255'/Ctn.
- 300 screws included
- 71 Lbs./Ctn.



Note: use Leaf Relief Universal Corner or Access Panel Kit UA6200BG Universal Inside/Outside/Access Panel. Universal Inside/Outside/Access Panel either functions as one corner or two Access Panels.

UA6200BG

6" Box Gutter Universal Inside/Outside Corner or Access Panel Kit

- Nominal Thickness: .019
- 10 Corners or 20 Access Panels/Ctn
- No screws included
- 4 Lbs./Ctn.

Note: use with SN6200BG 6" Box Gutter Continuous Hanger.

TP6300

00 No Color

6" Classic


- Nominal Thickness: .019
- Length: 10'
- 32 Pcs./Ctn.
- 320'/Ctn.
- 55.4 Lbs./Ctn.



TP63ZIP

6" Zip

- Nominal Thickness: .019
- Length: 10'
- 32 Pcs./Ctn.
- 320'/Ctn.
- 57.6 Lbs./Ctn.



(For use over OG1061, OG12R61, zip hangers)

LEAF RELIEF® 6"

GUTTER PROTECTION SYSTEMS

Product Code/Description	Color Availability
TPC6100 6" Adjustable Copper - Nominal Thickness: .017 - Length: 7' 6" 16 Pcs./Ctn. 120'/Ctn. 75.0 Lbs./Ctn. 200 Copper screws included. Use only with K or OG-style copper gutters. * Special Order. One Carton Minimum. Call for price and lead time.	OC Copper
HR6400 6" Half Round - Nominal Thickness: .024 - Length: 7' 6" 16 Pcs./Ctn. 120'/Ctn. 25.4 Lbs./Ctn.	00 Mill Finish
HRC6400 6" Half Round Copper - Nominal Thickness: .017 - Length: 7' 6" 16 Pcs./Ctn. 120'/Ctn. 63.0 Lbs./Ctn. 200 Copper screws included. Use only with 6" Half-Round copper gutters.	OC Copper
OC6220 6" Leaf Relief Outside Corners - Nominal Thickness: .019 20 Complete Corners/Ctn. 3.8 Lbs./Ctn. Use with: SN6200S, TP6300	00 Mill Finish
IC6220 6" Leaf Relief Inside Corners - Nominal Thickness: .019 20 Ccomplete Corners/Ctn. 3.8 Lbs./Ctn. Use with: SN6200S, TP6300	

LEAF RELIEF®

GUTTER PROTECTION SYSTEMS

Product Code/Description


Color Availability

SN7200S

00 No Color

7" Leaf Relief Continuous Hanger w/Screws

- 7' 6" Length
- 200 Screws/Ctn.
- 24 Pcs./Ctn.
- 47 Lbs./Ctn.



SC9X150

#9 x 1-1/2" Hex-Head Coated Screw with Gasket

- 1000/Ctn.
- 100/Pkg.
- 10 Pkg./Ctn.
- 11.5 Lbs./Ctn.




(For use with SN5200S, SN6200S, and SN7200S Systems)

SQ6X038

Mill Finish

#6 x 3/8" Stainless Steel Screw Pan Head with Square Drive Slot


- 1000/Ctn.
- 100/Pkg.
- 10 Pkg./Ctn.
- 2 Lbs./Ctn



(For use with TP5100Q , TP5300, HR5400, HR6400,
and TP6300 Systems)


LEAF LOGIC™
GUTTER PROTECTION SYSTEMS

Product Code/Description
LL510 5" Rippled Plate • Nominal Thickness: .015 • Length: 10' • 30 Pcs./Ctn. • 300'/Ctn. • 30 Lbs./Ctn.




Color Availability
04 White 00 Mill Finish JS Dark Bronze

LL610 6" Rippled Plate • Nominal Thickness: .015 • Length: 10' • 30 Pcs./Ctn. • 300'/Ctn. • 35 Lbs./Ctn.
--




LEAF SMART™
GUTTER PROTECTION SYSTEMS

Product Code/Description
LS54 5" Steel Mesh • Nominal Thickness: .032 • Length: 4' • 25 Pcs./Ctn. • 100'/Ctn. • 26 Lbs./Ctn.



Color Availability
00 Mill Finish

LS64 6" Steel Mesh • Nominal Thickness: .032 • Length: 4' • 25 Pcs./Ctn. • 100'/Ctn. • 28 Lbs./Ctn.



ROOFING ACCESSORIES

T-DRIP

Product Code	Description	Face Lgth	Top Lgth	Part Lgth	Material	Finish	Nominal Thickness/ Gauge	Pcs/ Ctn	Lbs/ Ctn
TD1029L	T-Drip 1x2-7/8 Light	1"	2-7/8"	10'	Aluminum	Alumalure 2000	0.013	25	15.8

Available Colors: White 04, Black 33, Musket Brown 59

TD1029	T-Drip 1x2-7/8	1"	2-7/8"	10'	Aluminum	Alumalure 2000	0.016	25	19.2
--------	----------------	----	--------	-----	----------	----------------	-------	----	------

Available Colors: White 04, Pebblestone Clay 52

TD1029S	T-Drip 1x2-7/8 Galvanized	1"	2-7/8"	10'	Galvanized Steel	Polyester	0.016	25	51.1
---------	---------------------------	----	--------	-----	------------------	-----------	-------	----	------

Available Colors: Royal Brown 62

TD1529	T-Drip 1-1/2x2-7/8	1-1/2"	2-7/8"	10'	Aluminum	Alumalure 2000	0.016	25	21.6
--------	--------------------	--------	--------	-----	----------	----------------	-------	----	------

Available Colors: White 04, Black 33, Pebblestone Clay 52, Royal Brown 62

TD1529H	T-Drip 1-1/2x2-7/8 Heavy	1-1/2"	2-7/8"	10'	Aluminum	Alumalure 2000	0.019	25	25.2
---------	--------------------------	--------	--------	-----	----------	----------------	-------	----	------

Available Colors: White 04, Black 33, Almond 53, Dark Bronze JS, Desert Sand 22, Musket Brown 59, Pebblestone Clay 52, Royal Brown 62, Terra Bronze 34, Wicker A7

TD1529H12	T-Drip 1-1/2x2-7/8x12' Heavy	1-1/2"	2-7/8"	12'	Aluminum	Alumalure 2000	0.019	25	30.3
-----------	------------------------------	--------	--------	-----	----------	----------------	-------	----	------

Available Colors: White 04, Black 33, Almond 53, Cameo 31, Charcoal Grey 80, Dark Bronze JS, Desert Sand 22, Evergreen 70, Linen 44, Musket Brown 59, Pebblestone Clay 52, Royal Brown 62, Sandtone 39, Terra Bronze 34, Wicker A7

TD1829	T-Drip 1-3/4x2-7/8	1-3/4"	2-7/8"	10'	Aluminum	Alumalure 2000	0.016	25	22.5
--------	--------------------	--------	--------	-----	----------	----------------	-------	----	------


Available Colors: White 04, Black 33, Almond 53, Dark Bronze JS, Musket Brown 59, Pebblestone Clay 52, Royal Brown 62, Wicker A7, A5 Monterey Taupe

TD1829H	T-Drip 1-3/4x2-7/8 Heavy	1-3/4"	2-7/8"	10'	Aluminum	Alumalure 2000	0.019	25	26.4
---------	--------------------------	--------	--------	-----	----------	----------------	-------	----	------

Available Colors: Almond 53, Cameo 31, Charcoal Grey 80, Dark Bronze JS, Desert Sand 22, Evergreen 70, Musket Brown 59, Pebblestone Clay 52, Royal Brown 62, Terra Bronze 34, Wicker A7, White 04, Black 33, Monterey Taupe A5

TD2029H	T-Drip 2x2-7/8 Heavy	2"	2-7/8"	10'	Aluminum	Alumalure 2000	0.019	25	28.3
---------	----------------------	----	--------	-----	----------	----------------	-------	----	------


Available Colors: White 04



ROOFING ACCESSORIES

F-DRIP

Product Code	Description	Face Lgth	Top Lgth	Part Lgth	Material	Finish	Nominal Thickness/ Gauge	Pcs/ Ctn	Lbs/ Ctn
FD1060H	F-Drip 1x6 Heavy	1"	6"	10'	Aluminum	Alumalure 2000	0.019	25	35.5
Available Colors: White 04									
FD202012	F-Drip 2x2	2"	2"	12'	Aluminum	Alumalure 2000	0.016	25	23
Available Colors: White 04, Black 33, Musket Brown 59, Pebblestone Clay 52									
FD2020H12	F-Drip 2x2x12' Heavy	2"	2"	12'	Aluminum	Alumalure 2000	0.019	25	27
Available Colors: White 04									
FD2028	F-Drip 2x2-3/4	2"	2-3/4"	10'	Aluminum	Alumalure 2000	0.016	25	22.5
Available Colors: White 04									
FD2028H	F-Drip 2x2-3/4 Heavy	2"	2-3/4"	10'	Aluminum	Alumalure 2000	0.019	25	26.5
Available Colors: White 04, Almond 53, Charcoal Grey 80, Desert Sand 22, Linen 44, Musket Brown 59, Sandtone 39, Victorian Grey 36									
FD2028S	F-Drip 2x2-3/4 Galvanized	2"	2-3/4"	10'	Galvanized Steel	Polyester	0.016	25	59.9
Available Colors: Mill 00, White 04, Black 33, Almond 53, Pebblestone Clay 52, Royal Brown 62, Terra Bronze 34									




ROOFING ACCESSORIES

C-DRIP

Product Code	Description	Face Lgth	Top Lgth	Bottom Lgth	Part Lgth	Material	Finish	Nominal Thickness/ Gauge	Pcs/ Ctn	Lbs/ Ctn
CD1028H	C-Drip 1x2-3/4 Heavy	1"	2-3/4"	1-1/8"	10'	Aluminum	Alumalure 2000	0.019	25	26.4

Available Colors: White 04




ROOFING ACCESSORIES

SQUARE DRIP / GUTTER APRON


Product Code	Description	Face Lgth	Top Lgth	Part Lgth	Material	Finish	Nominal Thickness/ Gauge	Pcs/ Ctn	Lbs/ Ctn
SD1515H	Sq Drip 1-1/2x1-1/2 Heavy	1-1/2"	1-1/2"	10'	Aluminum	Alumalure 2000	0.019	25	20.5

Available Colors: White 04



Product Code	Description	Face Lgth	Top Lgth	Part Lgth	Material	Finish	Nominal Thickness/ Gauge	Pcs/ Ctn	Lbs/ Ctn
GA2029H	Apron 2x2-7/8" Heavy	2"	2-7/8"	10'	Aluminum	Alumalure 2000	0.019	25	25.2

Available Colors: White 04, Black 33, Almond 53, Dark Bronze JS, Musket Brown 59, Pebblestone Clay 52, Royal Brown 62, Terra Bronze 34, Wicker A7




ROOFING ACCESSORIES

QUICK DRIP / GRAVEL STOP


Product Code	Description	Face Lgth	Top Lgth	Part Lgth	Material	Finish	Nominal Thickness/ Gauge	Pcs/ Ctn	Lbs/ Ctn
QD2410H12	Quick Drip 2-7/16x1x12" Heavy	2-7/16"	1"	12"	Aluminum	Alumalure 2000	0.019	25	20.5

Available Colors: White 04, Black 33, Almond 53, Cameo 31



Product Code	Description	Face Lgth	Top Lgth	Part Lgth	Material	Finish	Nominal Thickness/ Gauge	Pcs/ Ctn	Lbs/ Ctn
GS4040XH	Gravel Stop 4x4 Extra Heavy	4"	4"	10'	Aluminum	Alumalure 2000	0.024	25	25.2

Available Colors: White 04, Black 33, Dark Bronze JS, Musket Brown 59, Pebblestone Clay 52, Royal Brown 62, Terra Bronze 34, A5 Monterey Taupe



SPECIFICATIONS AND CONFORMANCE

OUR VINYL SIDING AND SOFFIT SPECIFICATIONS AND CONFORMANCE

Ply Gem® Vinyl Siding and Soffit products are designed for use in residential and light commercial applications.

FINISH

Ply Gem® Vinyl Siding and Soffit are produced from PVC compound containing quality color pigments to provide color throughout the thickness of the panel. Close control of color and gloss is maintained to provide for an attractive, weather able surface. Textured vinyl panels are uniformly embossed to provide an attractive woodgrain pattern.

MANUFACTURING PHYSICALS

Solid Vinyl Siding, Soffit and Accessories are extruded polyvinyl chloride (PVC) compound as defined in ASTM D3679, "Standard specification for PVC Siding." The cell classification as defined by ASTM D1784 is 13344-B.

PLY GEM® PVC RESIN MEETS OR EXCEEDS THE PROPERTIES LISTED HERE:

Tensile strength (psi)	7,100-7,600
Tensile modulus (psi)	360,000-400,000
Specific gravity	1.39-1.49
Hardness (Shore D)	76.3
Heat deflection under load 264 psi	170 (degrees) F
Load impact strength (ft.-lbs./in. of match)	3.3
Chemical resistance	Excellent
Coefficient of linear expansion	2.9(73.7) X 10.5

RELEVANT STANDARDS/CODES

Ply Gem® Vinyl Siding products meet or exceed the following standards and/or code approvals:

Industry Standards	Building Codes
ASTM	D2843
ASTM	D635
ASTM	E84
ASTM	D3679
ICBO	ESR-1565
Metro Dade	NOA 22-1108.04
Texas State Board of Insurance Ruling	EC-27

FIRE-RESISTANCE RATINGS

ASTM E84		ASTMD635	
Flame Spread	Less than 20	Avg. time of burning	less than 5 sec.
Fuel contributions	0	Avg. length of burning	20 mm
Smoke density	400		
		ASTM-D2843	
		Smoke density	48

PLY GEM PERFORMANCE COLLECTION VINYL SIDING TECHNICAL SPECIFICATIONS

Panels tested in accordance with ASTM D5206. Windspeed rating will vary depending on specific code region and construction method. Refer to local building codes for detailed requirements concerning allowable wind loads and specified conversion tables for actual windspeed.

Product Line	2024 IBC/IRC	
	Design Pressure (DP) Rating	Maximum Windspeed (mph)
		ASD
Dimensions	131 PSF	233 MPH
Cedar Dimensions Hand-Split Siding	114 PSF	218 MPH
Cedar Dimensions Shingle Siding	105 PSF	209 MPH
Cedar Shingles	105 PSF	209 MPH
Cedar Dimensions Round-Cut Siding	68 PSF	168 MPH
Board & Batten Siding	67 PSF	167 MPH
Colonial Beaded	51 PSF	146 MPH
Premium Soffit Double 5	42 PSF	132 MPH
Premium Soffit Triple 4	42 PSF	132 MPH
Progressions	40 PSF	129 MPH
Transformations	40 PSF	129 MPH
Triple 3-1/3" Solid Soffit/Wainscot	40 PSF	129 MPH

Example wind velocity for 67 PSF is 180 MPH Zone B @ 30' building height.

SPECIFICATIONS AND CONFORMANCE

IMPORTANT FIRE SAFETY INFORMATION

Exterior vinyl building materials require little maintenance for many years. Nevertheless, common sense dictates that builders and suppliers of vinyl products store, handle and install vinyl materials in a manner that avoids damage to the product and/or structure. Owners and installers should take a few simple steps to protect vinyl building materials from fire.

TO HOME AND BUILDING OWNERS

Rigid vinyl siding is made from organic materials and will melt or burn when exposed to a significant source of flame or heat. Building owners, occupants, and outside maintenance personnel should always take normal precautions to keep sources of fire such as barbecues and combustible materials such as dry leaves, mulch, and trash away from vinyl siding.

TO THE BUILDING TRADES, SPECIFIERS, PROFESSIONALS AND DO-IT-YOURSELFERS

When rigid vinyl siding is exposed to significant heat or flames the vinyl will soften, sag, melt, or burn, and may thereby expose material underneath. Care must be exercised when selecting underlayment materials because many underlayment materials are made from organic materials that are combustible. You should ascertain the fire properties of underlayment materials prior to installation. All building materials should be installed in accordance with local, state and federal building code and fire regulations.

Wall Fire-Resistance Matrix

	Wall System	Interior Underlayment	Exterior Sheathing	Popular Residential Claddings*
Non-Rated Wall	Any Conventional Construction	½" Gypsum Board	Any Conventional Materials	Wood Plywood OSB Hardboard Steel Aluminum Vinyl
Interior Underlayment	Any Conventional Construction	1 Layer of ½" Gypsum Board	Must Include 1 Layer of ½" Gypsum Board	
Interior Underlayment	Any Conventional Construction	2 Layers of ½" Gypsum Board	Must Include 2 Layers of ½" Gypsum Board	

*Note: Fire-treated versions may also be available for some popular wood-based siding products.

For general information about vinyl siding products, contact the Vinyl Siding Institute, 1201 15th St., NW, Suite 220, Washington, D.C. 20005. Request brochures titled "Fire Properties" or "What Homeowners Want to Know."

PLY GEM® VINYL SIDING AND SOFFIT WARRANTY

Ply Gem® vinyl siding and soffit products are backed by a limited lifetime warranty. Consult the actual product warranty for complete coverage details.

PLY GEM® ALUMINUM PRODUCT SPECIFICATIONS AND CONFORMANCE

Ply Gem® aluminum products are designed for use in residential and light commercial applications.

FINISH

Soffit: The smooth finish is a baked-on, high-performance topcoat. Trim Sheet: Available in smooth finish and striated PVC.

MANUFACTURING PHYSICALS

Aluminum Soffit Sheets – Alloy 3105-H26P

Minimum Tensile Strength: 26,000 psi

Minimum Yield Strength: 22,000 psi

Aluminum Trim Coil – Alloy 3105-H27P

Minimum Tensile Strength: 28,000 psi

Minimum Yield Strength: 26,000 psi

PROTECTION

Direct contact of aluminum products with certain dissimilar materials, or contact with water run-off from dissimilar materials, is likely to result in corrosion of aluminum products. See warranty and installation instructions for more details. Accordingly, care should be taken during installation to avoid such contact of aluminum with dissimilar materials including dissimilar metals (e.g. copper, zinc, steel, etc.), concrete, stucco, asbestos siding, pressure treated/pre-treated lumber, masonry, roofing materials, or roofing systems containing metallic granules or strips, or corrosive non-metallic materials.

For further information, please call (800) 962-3563.

RELEVANT STANDARDS/CODES

Ply Gem® aluminum products meet or exceed the following industry standards and/or building code approvals:

STANDARDS AND CODES	REPORT #
AAMA	1402.86
FHA	4900.1 for single-family dwellings
FHA	4910.1 for two-family dwellings
DOD	4720.21 for military family housing
Metro Dade	NOA 16-0801.06

Building codes and regulations may vary throughout the country. Installers should review local building codes to ensure compliance with all applicable laws, codes and regulations specific to a geographical area. Ply Gem® does not assume any responsibility for your compliance with such laws, codes and regulations.

SPECIFICATIONS AND CONFORMANCE

PLY GEM® ALUMINUM WARRANTY

Ply Gem® aluminum products are backed by a limited lifetime warranty. Consult the actual product warranty for complete coverage details.

PLY GEM® CEDAR DIMENSIONS™ SIDING

Ply Gem® Cedar Dimensions siding is designed for use in residential and light commercial applications.

FINISH

Cedar Dimensions siding is produced from a polypropylene compound containing quality color pigments to provide color throughout the thickness of the panel. Close control of color and gloss is maintained to provide for an attractive, weatherable surface.

MANUFACTURING PHYSICALS

SHINGLE SIDING

1. Style: Double 7" profile, 14" exposure
2. Butt dimension: 3/4"
3. Length: 67-1/2"
4. Thickness: nominal .100"
5. Material: polypropylene

HAND-SPLIT SHAKE SIDING

1. Style: Double 9
2. Butt Dimension: 3/4"
3. Length: 58 5/8"
4. Thickness: nominal .120"
5. Material: Polypropylene

HALF-ROUND SIDING

1. Style: Double Round 6-1/4" profile, 12-1/2" exposure
2. Butt dimension: 3/4"
3. Length: 51-3/4"
4. Thickness: nominal .080"
5. Material: polypropylene

RELEVANT STANDARDS/CODES

Cedar Dimensions siding is a rigid polypropylene siding. Cedar Dimensions siding, tested in compliance to ASTM flame test procedures, meets or exceeds the following properties as required by the national code bodies.

Burn rate	ASTM D635 – 1.15"/minute
Minimum self-ignition temperature	ASTM D1929 – 673°F
Minimum flash-ignition temperature	ASTM D1929 – 651°F
Flame spread and smoke developed	ASTM E84 – Flame 150, Smoke 710
Windload	ASTM D5206
Shingle Siding, Double 7	73.3 PSF - 175 MPH
Half-Round Siding, Double 6 1/4	48.9 PSF - 145 MPH
Hand-Split Shake Siding, Double 9	82.2 PSF - 180 MPH

NOTE: It has been tested per ASTM D5206 standard test method for windload resistance of rigid PVC siding. Check with your local building inspector for windload requirements in your area.

DELIVERY, STORAGE AND HANDLING

Deliver rigid polypropylene siding products to the project site in their original packaging. Store rigid polypropylene products in their original packaging on a flat surface under cover, stacked no more than 12 boxes high. Do not store in a location where temperatures may exceed 130°F.

IMPORTANT: FIRE SAFETY INFORMATION

Rigid polypropylene siding is made from organic materials and will melt or burn when exposed to a significant source of flame or heat. Property owners, occupants and maintenance personnel should be familiar with the performance characteristics of underlayment materials. For maximum safety, non-combustible underlayment materials are recommended. Normal precautions to protect rigid polypropylene building materials from sources of fire should be taken. Barbecues and combustible materials, such as dry leaves, mulch and trash, should be kept away from polypropylene siding.



PLY GEM® CEDAR DIMENSIONS WARRANTY

The Cedar Dimensions line is backed by Ply Gem's limited lifetime warranty. Consult the actual product warranty for complete coverage details.

Notes:

Work your own magic with the **Home Design Visualizer**

Upload photos of your clients' homes to instantly mix and match different vinyl siding and accessory options.



THE PLY GEM PORTFOLIO OF BRANDS



The Total Designed Exterior


The Ply Gem portfolio of brands delivers the industry's most comprehensive portfolio of designed exterior solutions—all meant to work together seamlessly to elevate curb appeal and provide enduring beauty to homes.



SIDING



WINDOWS



SHUTTERS



STONE VENEER




FENCE & RAILING



PATIO DOORS



TRIM



METAL



ACCESSORIES

We reserve the right to alter, modify or delete items from time to time without notice. Due to printing limitations, colors may not be exactly as shown. Contact your distributor or sales representative for actual product and color samples.

PLYGEM.COM | 888-962-6973
5020 Weston Parkway, Cary, NC 27513

© 2025 Ply Gem Industries, Inc., part of
Cornerstone Building Brands, Inc.
ALL RIGHTS RESERVED.

4710179991107/RevK/MS/IMG/0125



PART OF THE CORNERSTONE BUILDING BRANDS FAMILY