



A WHOLE NEW POINT OF VIEW.

E A S T

**Double Hung**  
**MODULAR SIZING SUPPLEMENT**

**Modular units are manufactured to traditional wood window rough opening dimensions.**

## TABLE OF CONTENTS



|   |    |
|---|----|
| Technical Drawings .....                      | 3  |
| Size Elevations & Grille Patterns .....       | 4  |
| Double Hung Operating Units .....             | 4  |
| Double Hung Stationary Units .....            | 9  |
| Double Hung Circle Head & Transom Units ..... | 10 |
| Actual Unit Dimension Charts .....            | 11 |
| Net Clear & Daylight Opening Dimensions ..... | 12 |
| Bay Window Details .....                      | 13 |

**It's more than a window. It's a whole new point of view.** At Ply Gem Windows, we have a different view for the way the window business should be run. We believe you should have access to all of the top quality styles and brands across the country. That's why we've taken our entire portfolio of brands, brands that you know and trust, and given them one name – Ply Gem Windows. With this one name comes a lot of big advantages, starting with a national manufacturing and distribution network. Pair that with our commitment to customer service, sustainable practices and wide variety of window styles that fit all of your design needs, and you'll get the right window for every project and every budget.



And, because we're part of the Ply Gem family, you know you'll always have access to leading brands. Windows, doors, siding and accessories, stone veneer, fence and rail, rainware, shutters and designer accents, we have something for every project. We work with residential builders, remodelers, architects, distributors and dealers to help build sales. When you combine 75 years of experience, industry-leading customer service, and trusted local relationships you've got a company you can count on. **Ply Gem. Building products. Building success.**





### Brick Siding



### Vinyl Siding



### Wood Siding



| Unit Dimension<br>Rough Opening<br>Call Size | Widths       |              |              |              |              |              |
|--|--------------|--------------|--------------|--------------|--------------|--------------|
|  | 1'-9 7/8"    | 2'-1 7/8"    | 2'-5 7/8"    | 2'-9 7/8"    | 3'-1 7/8"    | 3'-5 7/8"    |
|  | 1'-10 3/8"   | 2'-2 3/8"    | 2'-6 3/8"    | 2'-10 3/8"   | 3'-2 3/8"    | 3'-6 3/8"    |
| Call Size                                    | 1-8          | 2-0          | 2-4          | 2-8          | 3-0          | 3-4          |
| 3'-1 1/8" / 3-10                             | DH: DH18210M | DH: DH20210M | DH: DH24210M | DH: DH28210M | DH: DH30210M | DH: DH34210M |
| 3'-5 1/8" / 3-2                              | DH: DH1832M  | DH: DH2032M  | DH: DH2432M  | DH: DH2832M  | DH: DH3032M  | DH: DH3432M  |
| 4'-1 1/8" / 4-10                             | DH: DH18310M | DH: DH20310M | DH: DH24310M | DH: DH28310M | DH: DH30310M | DH: DH34310M |
| 4'-5 1/8" / 4-2                              | DH: DH1842M  | DH: DH2042M  | DH: DH2442M  | DH: DH2842M  | DH: DH3042M  | DH: DH3442M  |
| 4'-9 1/8" / 4-6                              | DH: DH1846M  | DH: DH2046M  | DH: DH2446M  | DH: DH2846M  | DH: DH3046M  | DH: DH3446M  |
| 5'-5 1/8" / 5-2                              | DH: DH1852M  | DH: DH2052M  | DH: DH2452M  | DH: DH2852M  | DH: DH3052M  | DH: DH3452M  |
| 5'-9 1/8" / 5-6E                             | DH: DH1856EM | DH: DH2056EM | DH: DH2456EM | DH: DH2856EM | DH: DH3056EM | DH: DH3456EM |
| 5'-9 1/8" / 5-6C                             | DH: DH1856CM | DH: DH2056CM | DH: DH2456CM | DH: DH2856CM | DH: DH3056CM | DH: DH3456CM |
| 6'-5 1/8" / 6-2                              | DH: DH1862M  | DH: DH2062M  | DH: DH2462M  | DH: DH2862M  | DH: DH3062M  | DH: DH3462M  |

**NOTE:**  
Shaded units satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.




























| Unit Dimension<br>Rough Opening<br>Call Size | Widths – TWIN Units |                |                |                |                |                |
|--|---------------------|----------------|----------------|----------------|----------------|----------------|
|  | 3'-8 1/4"           | 4'-4 1/4"      | 5'-0 1/4"      | 5'-8 1/4"      | 6'-4 1/4"      | 7'-0 1/4"      |
|  | 3'-8 3/4"           | 4'-4 3/4"      | 5'-0 3/4"      | 5'-8 3/4"      | 6'-4 3/4"      | 7'-0 3/4"      |
| Call Size                                    | 1-8 Twin            | 2-0 Twin       | 2-4 Twin       | 2-8 Twin       | 3-0 Twin       | 3-4 Twin       |
| 3'-1 1/8" / 3-10                             | DH: DH18210M-2      | DH: DH20210M-2 | DH: DH24210M-2 | DH: DH28210M-2 | DH: DH30210M-2 | DH: DH34210M-2 |
| 3'-5 1/8" / 3-2                              | DH: DH1832M-2       | DH: DH2032M-2  | DH: DH2432M-2  | DH: DH2832M-2  | DH: DH3032M-2  | DH: DH3432M-2  |
| 4'-1 1/8" / 4-10                             | DH: DH18310M-2      | DH: DH20310M-2 | DH: DH24310M-2 | DH: DH28310M-2 | DH: DH30310M-2 | DH: DH34310M-2 |
| 4'-5 1/8" / 4-2                              | DH: DH1842M-2       | DH: DH2042M-2  | DH: DH2442M-2  | DH: DH2842M-2  | DH: DH3042M-2  | DH: DH3442M-2  |
| 4'-9 1/8" / 4-6                              | DH: DH1846M-2       | DH: DH2046M-2  | DH: DH2446M-2  | DH: DH2846M-2  | DH: DH3046M-2  | DH: DH3446M-2  |
| 5'-5 1/8" / 5-2                              | DH: DH1852M-2       | DH: DH2052M-2  | DH: DH2452M-2  | DH: DH2852M-2  | DH: DH3052M-2  | DH: DH3452M-2  |
| 5'-9 1/8" / 5-6E                             | DH: DH1856EM-2      | DH: DH2056EM-2 | DH: DH2456EM-2 | DH: DH2856EM-2 | DH: DH3056EM-2 | DH: DH3456EM-2 |
| 5'-9 1/8" / 5-6C                             | DH: DH1856CM-2      | DH: DH2056CM-2 | DH: DH2456CM-2 | DH: DH2856CM-2 | DH: DH3056CM-2 | DH: DH3456CM-2 |
| 6'-5 1/8" / 6-2                              | DH: DH1862M-2       | DH: DH2062M-2  | DH: DH2462M-2  | DH: DH2862M-2  | DH: DH3062M-2  | DH: DH3462M-2  |





































**NOTE:**  
Shaded units satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.

|         |           | Widths – TRIPLE Units |            |            |            |            |
|---------|-----------|-----------------------|------------|------------|------------|------------|
|         |           | 5'-6 5/8"             | 6'-6 5/8"  | 7'-6 5/8"  | 8'-6 5/8"  | 9'-6 5/8"  |
|         |           | 5'-7 1/8"             | 6'-7 1/8"  | 7'-7 1/8"  | 8'-7 1/8"  | 9'-7 1/8"  |
|         |           | 1-8 Triple            | 2-0 Triple | 2-4 Triple | 2-8 Triple | 3-0 Triple |
| Heights | 3'-1 1/8" |                       |            |            |            |            |
|         | 3'-5 1/8" |                       |            |            |            |            |
|         | 4'-1 1/8" |                       |            |            |            |            |
|         | 4'-5 1/8" |                       |            |            |            |            |
|         | 4'-9 1/8" |                       |            |            |            |            |
|         | 5'-5 1/8" |                       |            |            |            |            |
|         | 5'-9 1/8" |                       |            |            |            |            |
|         | 5'-9 1/8" |                       |            |            |            |            |
|         | 5'-9 1/8" |                       |            |            |            |            |
|         | 6'-5 1/8" |                       |            |            |            |            |

**NOTE:**  
Shaded units satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.

|         |           | Widths     |            |            |            |
|---------|-----------|------------|------------|------------|------------|
|         |           | 6'-10 5/8" | 7'-10 5/8" | 8'-10 5/8" | 9'-10 5/8" |
|         |           | 6'-11 1/8" | 7'-11 1/8" | 8'-11 1/8" | 9'-11 1/8" |
|         |           | 1-8 / 3-0  | 1-8 / 4-0  | 1-8 / 5-0  | 1-8 / 6-0  |
| Heights | 3'-1 1/8" |            |            |            |            |
|         | 3'-5 1/8" |            |            |            |            |
|         | 4'-1 1/8" |            |            |            |            |
|         | 4'-5 1/8" |            |            |            |            |
|         | 4'-9 1/8" |            |            |            |            |
|         | 5'-5 1/8" |            |            |            |            |
|         | 5'-9 1/8" |            |            |            |            |
|         | 5'-9 1/8" |            |            |            |            |
|         | 5'-9 1/8" |            |            |            |            |
|         | 6'-5 1/8" |            |            |            |            |

| Heights        | Widths   |  |   |
|----------------|--|--|---|
|                | 7'-6 5/8"  | 8'-6 5/8"  | 9'-6 5/8"   |
|                | 7'-7 1/8"  | 8'-7 1/8"  | 9'-7 1/8"   |
| Unit Dimension | Rough Opening  |  |   |
| Call Size      | 2-0 / 3-0  | 2-0 / 4-0  | 2-0 / 5-0   |
| 3'-1 1/8"      | <br>DH: DH2030/210M   | <br>DH: DH2040/210M   | <br>DH: DH2050/210M   |
| 3'-5 1/8"      | <br>DH: DH2030/32M    | <br>DH: DH2040/32M    | <br>DH: DH2050/32M    |
| 4'-1 1/8"      | <br>DH: DH2030/310M   | <br>DH: DH2040/310M   | <br>DH: DH2050/310M   |
| 4'-5 1/8"      | <br>DH: DH2030/42M    | <br>DH: DH2040/42M    | <br>DH: DH2050/42M    |
| 4'-9 1/8"      | <br>DH: DH2030/46M    | <br>DH: DH2040/46M    | <br>DH: DH2050/46M    |
| 5'-5 1/8"      | <br>DH: DH2030/52M   | <br>DH: DH2040/52M   | <br>DH: DH2050/52M   |
| 5'-9 1/8"      | <br>DH: DH2030/56EM | <br>DH: DH2040/56EM | <br>DH: DH2050/56EM |
| 5'-9 1/8"      | <br>DH: DH2030/56CM | <br>DH: DH2040/56CM | <br>DH: DH2050/56CM |
| 6'-5 1/8"      | <br>DH: DH2030/62M  | <br>DH: DH2040/62M  | <br>DH: DH2050/62M  |

| Heights        | Picture Widths   |  |  |  |
|----------------|--|--|--|--|
|                | 2'-9 7/8"  | 3'-1 7/8"  | 4'-1 7/8"  | 5'-1 7/8"  |
|                | 2'-10 3/8"   | 3'-2 3/8"  | 4'-2 3/8"  | 5'-2 3/8"  |
| Unit Dimension | Rough Opening  |  |  |  |
| Call Size      | 2-8  | 3-0  | 4-0  | 5-0  |
| 3'-1 1/8"      | <br>DH: DH2821OMP   | <br>DH: DH3021OMP   | <br>DH: DH4021OMP   | <br>DH: DH5021OMP   |
| 3'-5 1/8"      | <br>DH: DH2832MP    | <br>DH: DH3032MP    | <br>DH: DH4032MP    | <br>DH: DH5032MP    |
| 4'-1 1/8"      | <br>DH: DH2831OMP   | <br>DH: DH3031OMP   | <br>DH: DH4031OMP   | <br>DH: DH5031OMP   |
| 4'-5 1/8"      | <br>DH: DH2842MP    | <br>DH: DH3042MP    | <br>DH: DH4042MP    | <br>DH: DH5042MP    |
| 4'-9 1/8"      | <br>DH: DH2846MP    | <br>DH: DH3046MP    | <br>DH: DH4046MP    | <br>DH: DH5046MP    |
| 5'-5 1/8"      | <br>DH: DH2852MP   | <br>DH: DH3052MP   | <br>DH: DH4052MP   | <br>DH: DH5052MP   |
| 5'-9 1/8"      | <br>DH: DH2856EMP | <br>DH: DH3056EMP | <br>DH: DH4056EMP | <br>DH: DH5056EMP |
| 5'-9 1/8"      | <br>DH: DH2856CMP | <br>DH: DH3056CMP | <br>DH: DH4056CMP | <br>DH: DH5056CMP |
| 6'-5 1/8"      | <br>DH: DH2862MP  | <br>DH: DH3062MP  | <br>DH: DH4062MP  | <br>DH: DH5062MP  |

**Single Widths**

|                |           |           |            |           |           |
|----------------|-----------|-----------|------------|-----------|-----------|
| Unit Dimension | 2'-1 7/8" | 2'-5 7/8" | 2'-9 7/8"  | 3'-1 7/8" | 3'-5 7/8" |
| Rough Opening  | 2'-2 3/8" | 2'-6 3/8" | 2'-10 3/8" | 3'-2 3/8" | 3'-6 3/8" |
| Call Size      | 2-0       | 2-4       | 2-8        | 3-0       | 3-4       |

**Heights**

|                |             |             |             |             |             |            |
|----------------|-------------|-------------|-------------|-------------|-------------|------------|
| Call Size      | 1'-0        | 1'-2        | 1'-4        | 1'-6        | 1'-8        | 2-0        |
| Unit Dimension | 1'-0 15/16" | 1'-2 15/16" | 1'-4 15/16" | 1'-6 15/16" | 1'-8 15/16" | 1'-9 7/8"  |
| Rough Opening  | 1'-1 7/16"  | 1'-3 7/16"  | 1'-5 7/16"  | 1'-7 7/16"  | 1'-9 7/16"  | 1'-10 3/8" |

**Grille Options**  
(See chart on this page)

|               |               |               |               |   |
|---------------|---------------|---------------|---------------|---|
| CO1, CG2, COL | CO3, CG3, COL | CO3, CG3, COL | CO3, CG3, COL | CO1, CO2, CO3, CO4, CO5, CO6, CO7, CG4, COL |
|---------------|---------------|---------------|---------------|---|

**Optional Grille Patterns**

**Available Grille Patterns**  
Use order code to specify pattern

**Single Widths**


|                |            |           |           |            |           |           |
|----------------|------------|-----------|-----------|------------|-----------|-----------|
| Unit Dimension | 1'-9 7/8"  | 2'-1 7/8" | 2'-5 7/8" | 2'-9 7/8"  | 3'-1 7/8" | 3'-5 7/8" |
| Rough Opening  | 1'-10 3/8" | 2'-2 3/8" | 2'-6 3/8" | 2'-10 3/8" | 3'-2 3/8" | 3'-6 3/8" |
| Call Size      | 1-8        | 2-0       | 2-4       | 2-8        | 3-0       | 3-4       |

**Heights**

|                |             |             |             |             |             |            |
|----------------|-------------|-------------|-------------|-------------|-------------|------------|
| Call Size      | 1'-0        | 1'-2        | 1'-4        | 1'-6        | 1'-8        | 2-0        |
| Unit Dimension | 1'-0 15/16" | 1'-2 15/16" | 1'-4 15/16" | 1'-6 15/16" | 1'-8 15/16" | 1'-9 7/8"  |
| Rough Opening  | 1'-1 7/16"  | 1'-3 7/16"  | 1'-5 7/16"  | 1'-7 7/16"  | 1'-9 7/16"  | 1'-10 3/8" |

**Grille Options**

|               |               |               |               |               |               |
|---------------|---------------|---------------|---------------|---------------|---------------|
| DH: DH1810MTN | DH: DH2010MTN | DH: DH2410MTN | DH: DH2810MTN | DH: DH3010MTN | DH: DH3410MTN |
| DH: DH1812MTN | DH: DH2012MTN | DH: DH2412MTN | DH: DH2812MTN | DH: DH3012MTN | DH: DH3412MTN |
| DH: DH1814MTN | DH: DH2014MTN | DH: DH2414MTN | DH: DH2814MTN | DH: DH3014MTN | DH: DH3414MTN |
| DH: DH1816MTN | DH: DH2016MTN | DH: DH2416MTN | DH: DH2816MTN | DH: DH3016MTN | DH: DH3416MTN |
| DH: DH1818MTN | DH: DH2018MTN | DH: DH2418MTN | DH: DH2818MTN | DH: DH3018MTN | DH: DH3418MTN |
| DH: DH1820MTN | DH: DH2020MTN | DH: DH2420MTN | DH: DH2820MTN | DH: DH3020MTN | DH: DH3420MTN |



Formula for determining unit dimension on multiple units.

- 1) Add actual unit dimensions together.
- 2) Add 1/2" for each mull.

**Operating & Transom Units, WIDTH**

| CALL SIZE (WIDTH) | 1-8    | 2-0    | 2-4    | 2-8     | 3-0     | 3-4    |
|-------------------|--------|--------|--------|---------|---------|--------|
| SINGLE            | 21 7/8 | 25 7/8 | 29 7/8 | 33 7/8  | 37 7/8  | 41 7/8 |
| TWIN*             | 44 1/4 | 52 1/4 | 60 1/4 | 68 1/4  | 76 1/4  | 84 1/4 |
| TRIPLE*           | 66 5/8 | 78 5/8 | 90 5/8 | 102 5/8 | 114 5/8 | N/A    |

\* Mulls included in dimension

**Fixed Units, WIDTH**

| CALL SIZE (WIDTH) | 2-8     | 3-0     | 4-0     | 5-0    |
|-------------------|---------|---------|---------|--------|
| SINGLE            | 33 7/8  | 37 7/8  | 49 7/8  | 61 7/8 |
| TWIN*             | 68 1/4  | 76 1/4  | 100 1/4 | N/A    |
| TRIPLE*           | 102 5/8 | 114 5/8 | N/A     | N/A    |

\* Mulls included in dimension

**Operating & Fixed Units, HEIGHT**

| CALL SIZE (HEIGHT) | HEIGHT IN INCHES |
|--------------------|------------------|
| 2-10               | 37 1/8           |
| 3-2                | 41 1/8           |
| 3-10               | 49 1/8           |
| 4-2                | 53 1/8           |
| 4-6                | 57 1/8           |
| 5-2                | 65 1/8           |
| 5-6C               | 69 1/8           |
| 5-6E               | 69 1/8           |
| 6-2                | 77 1/8           |

**Transom Units, HEIGHT**

| CALL SIZE (HEIGHT) | HEIGHT IN INCHES |
|--------------------|------------------|
| 1-0                | 13 3/8           |
| 1-2                | 15 3/8           |
| 1-4                | 17 3/8           |
| 1-6                | 19 3/8           |
| 1-8                | 21 3/8           |
| 2-0                | 25 3/8           |



NET CLEAR & DAYLIGHT OPENING DIMENSIONS

BAY WINDOW DETAILS



Operating Units

| Call Size | Clear Opening Width | Clear Opening Height | Clear Opening S.F. | Daylight Opening S.F. | Call Size | Clear Opening Width | Clear Opening Height | Clear Opening S.F. | Daylight Opening S.F. |
|-----------|---------------------|----------------------|--------------------|-----------------------|-----------|---------------------|----------------------|--------------------|-----------------------|
| DH18 210M | 17.153              | 14.063               | 1.68               | 3.2                   | DH28 210M | 29.153              | 14.063               | 2.85               | 5.6                   |
| 32        | 17.153              | 16.063               | 1.91               | 3.6                   | 32        | 29.153              | 16.063               | 3.25               | 6.4                   |
| 310       | 17.153              | 20.063               | 2.39               | 4.4                   | 310       | 29.153              | 20.063               | 4.06               | 7.9                   |
| 42        | 17.153              | 22.063               | 2.63               | 4.9                   | 42        | 29.153              | 22.063               | 4.47               | 8.7                   |
| 46        | 17.153              | 24.063               | 2.87               | 5.3                   | 46        | 29.153              | 24.063               | 4.87               | 9.4                   |
| 52        | 17.153              | 28.063               | 3.34               | 6.1                   | 52        | 29.153              | 29.000               | 5.87               | 10.9                  |
| 56E       | 17.153              | 30.063               | 3.58               | 6.6                   | 56E       | 29.153              | 30.063               | 6.09               | 11.7                  |
| 56C       | 17.153              | 24.063               | 2.87               | 6.6                   | 56C       | 29.153              | 24.063               | 4.87               | 11.7                  |
| 62        | 17.153              | 34.063               | 4.06               | 7.4                   | 62        | 29.153              | 34.063               | 6.90               | 13.2                  |
| DH20 210M | 21.153              | 14.063               | 2.07               | 4.0                   | DH30 210M | 33.153              | 14.063               | 3.24               | 6.5                   |
| 32        | 21.153              | 16.063               | 2.36               | 4.5                   | 32        | 33.153              | 16.063               | 3.70               | 7.3                   |
| 310       | 21.153              | 20.063               | 2.07               | 5.9                   | 310       | 33.153              | 20.063               | 4.62               | 9.1                   |
| 42        | 21.153              | 22.063               | 3.24               | 6.1                   | 42        | 33.153              | 22.063               | 3.70               | 9.5                   |
| 46        | 21.153              | 24.063               | 3.53               | 6.7                   | 46        | 33.153              | 25.000               | 5.76               | 10.8                  |
| 52        | 21.153              | 28.063               | 4.12               | 7.7                   | 52        | 33.153              | 28.063               | 6.46               | 12.5                  |
| 56E       | 21.153              | 30.063               | 4.42               | 8.3                   | 56E       | 33.153              | 30.063               | 6.92               | 13.4                  |
| 56C       | 21.153              | 24.063               | 3.53               | 8.3                   | 56C       | 33.153              | 25.000               | 5.76               | 13.5                  |
| 62        | 21.153              | 34.063               | 5.00               | 9.3                   | 62        | 33.153              | 34.063               | 7.84               | 15.2                  |
| DH24 210M | 25.153              | 14.063               | 2.46               | 4.8                   | DH34 210M | 37.153              | 14.063               | 3.63               | 7.3                   |
| 32        | 25.153              | 16.063               | 2.81               | 5.5                   | 32        | 37.153              | 16.063               | 4.14               | 8.3                   |
| 310       | 25.153              | 20.063               | 3.50               | 6.7                   | 310       | 37.153              | 20.063               | 5.18               | 10.2                  |
| 42        | 25.153              | 22.063               | 3.85               | 7.4                   | 42        | 37.153              | 22.063               | 5.69               | 11.2                  |
| 46        | 25.153              | 24.063               | 4.20               | 8.0                   | 46        | 37.153              | 24.063               | 6.21               | 12.2                  |
| 52        | 25.153              | 28.063               | 4.90               | 9.3                   | 52        | 37.153              | 28.063               | 7.24               | 14.1                  |
| 56E       | 25.153              | 30.063               | 5.25               | 10.0                  | 56E       | 37.153              | 30.063               | 7.76               | 15.1                  |
| 56C       | 25.153              | 24.063               | 4.20               | 10.0                  | 56C       | 37.153              | 24.063               | 6.21               | 15.2                  |
| 62        | 25.153              | 34.063               | 5.95               | 11.3                  | 62        | 37.153              | 34.063               | 8.79               | 17.1                  |


**NOTE:** Units listed in green satisfy IRC egress requirements. Check with your local code official to confirm egress requirements in your area.

Fixed Units


| Call Size  | Daylight Opening S.F. | Call Size  | Daylight Opening S.F. | Call Size  | Daylight Opening S.F. | Call Size  | Daylight Opening S.F. |
|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| DH28 210MP | 7.0                   | DH30 210MP | 7.9                   | DH40 210MP | 10.7                  | DH50 210MP | 13.4                  |
| 32         | 7.8                   | 32         | 8.8                   | 32         | 11.9                  | 32         | 15.0                  |
| 310        | 9.5                   | 310        | 10.7                  | 310        | 14.5                  | 310        | 18.3                  |
| 42         | 10.3                  | 42         | 11.7                  | 42         | 15.8                  | 42         | 19.9                  |
| 46         | 11.1                  | 46         | 12.6                  | 46         | 17.0                  | 46         | 21.5                  |
| 52         | 12.8                  | 52         | 14.5                  | 52         | 19.6                  | 52         | 24.7                  |
| 56E        | 13.6                  | 56E        | 15.4                  | 56E        | 20.9                  | 56E        | 26.3                  |
| 56C        | 13.6                  | 56C        | 15.4                  | 56C        | 20.9                  | 56C        | 26.3                  |
| 62         | 15.3                  | 62         | 17.3                  | 62         | 23.4                  | 62         | 29.6                  |



30° Angle Bay with 1-8 Flankers



30° Angle Bay with 2-0 Flankers




| Call Size (Height) | Bay Unit (Height)  | Inside Dimension (Height) | Rough Opening (Height) |
|--------------------|--------------------|---------------------------|------------------------|
| 3/10               | 50 <sup>-5/8</sup> | 49 <sup>-1/8</sup>        | 51 <sup>-1/8</sup>     |
| 4/2                | 54 <sup>-5/8</sup> | 53 <sup>-1/8</sup>        | 55 <sup>-1/8</sup>     |
| 4/6                | 58 <sup>-5/8</sup> | 57 <sup>-1/8</sup>        | 59 <sup>-1/8</sup>     |
| 5/2                | 66 <sup>-5/8</sup> | 65 <sup>-1/8</sup>        | 67 <sup>-1/8</sup>     |
| 5/6E               | 70 <sup>-5/8</sup> | 69 <sup>-1/8</sup>        | 71 <sup>-1/8</sup>     |
| 5/6C               | 78 <sup>-5/8</sup> | 77 <sup>-1/8</sup>        | 79 <sup>-1/8</sup>     |


| Call Size (Width) | Max. Unit (Width)    | Max. Rough Opening (Width) | Projection          | Unit Dimension (Width) | Actual Angle |
|-------------------|----------------------|----------------------------|---------------------|------------------------|--------------|
| DH1830xx-30M      | 82 <sup>-3/4</sup>   | 80 <sup>-9/16</sup>        | 18 <sup>-1/2</sup>  | 79 <sup>-9/16</sup>    | 31°          |
| DH1840xx-30M      | 94 <sup>-3/4</sup>   | 92 <sup>-9/16</sup>        | 18 <sup>-1/2</sup>  | 91 <sup>-9/16</sup>    | 31°          |
| DH2030xx-30M      | 89 <sup>-9/16</sup>  | 87 <sup>-3/8</sup>         | 20 <sup>-9/16</sup> | 86 <sup>-3/8</sup>     | 31°          |
| DH2040xx-30M      | 101 <sup>-9/16</sup> | 99 <sup>-3/8</sup>         | 20 <sup>-9/16</sup> | 98 <sup>-3/8</sup>     | 31°          |

**Note:** Projections include 4<sup>-9/16</sup>" wall.

45° Angle Bay with 1-8 Flankers



45° Angle Bay with 2-0 Flankers



| Call Size (Width) | Max. Unit (Width)  | Max. Rough Opening (Width) | Projection          | Unit Dimension (Width) | Actual Angle |
|-------------------|--------------------|----------------------------|---------------------|------------------------|--------------|
| DH1830xx-45M      | 76 <sup>-7/8</sup> | 73 <sup>-13/16</sup>       | 23 <sup>-3/16</sup> | 72 <sup>-13/16</sup>   | 45°          |
| DH1840xx-45M      | 88 <sup>-7/8</sup> | 85 <sup>-13/16</sup>       | 23 <sup>-3/16</sup> | 84 <sup>-13/16</sup>   | 45°          |
| DH2030xx-45M      | 82 <sup>-1/2</sup> | 79 <sup>-7/16</sup>        | 26                  | 78 <sup>-7/16</sup>    | 45°          |
| DH2040xx-45M      | 94 <sup>-1/2</sup> | 91 <sup>-7/16</sup>        | 26                  | 90 <sup>-7/16</sup>    | 45°          |

**FPO**



Ply Gem, the Ply Gem logo, the "Building Products. Building Success." slogan, Ply Gem Windows and the Ply Gem Windows logo are trademarks of Ply Gem Industries, Inc. R-Core and Advanced Easy Clean are registered trademarks of Ply Gem Windows. ENERGY STAR® is a registered trademark of the U.S. Environmental Protection Agency. ©2018 Ply Gem Industries, Inc.

For more information, call 866-979-4149.